Biochimie (1992) 74, 1131—1136

Author index

A

Adjadj É, Quiniou É, Mispelter J, Favaudon V, Lhoste JM, The seven-stranded ß-barrel structure of apo-neocarzinostatin as compared to the immunoglobulin domain, 853
Agalarov SCh — *See* Garber MB *et al*, 327
Agneray J — *See* Slama A *et al*, 109
Aguinaldo AM — *See* Scheinman A *et al*, 307
Allam M — ***, Martinet N, Martinet Y, Differential migratory response of U-2 OS osteosarcoma cells to the various forms of platelet-derived growth factor, 183, — *** Martinet N, Gallati H, Martinet Y, Differential expression of PDGF A- and B-chain genes and production of AA and AB dimers by activated human blood monocytes, *1*097
Allcock SMJ — *See* Bardsley RG *et al*, 267
Aller P — *See* Leal MA *et al*, 545
Angielski S — *See* Pawelczyk T, Angielski S, 171
Ankilova V — *See* Moor N *et al*, 353
Ardawi MSM — *See* Khoja SM, Ardawi MSM, 989
Arjomand J — *See* Lee A *et al*, 635
Aronson AI, Ekanayake L, Fitz-James PC, Protein filaments may initiate the assembly of the *Bacillus subtilis* spore coat, 661
Atha T — *See* Scheinman A *et al*, 307
Aubry L — *See* Brénot F *et al*, 883

B

Bachmann M — *See* Engel M *et al*, 527
Baggetto LG, Deviant energetic metabolism of glycolytic cancer cells, 959
Bai U — *See* Smith I *et al*, 669
Baldellon C, Padilla A, Cavé A, Kinetics of amide proton exchange in parvalbumin studied by ^{1}H 2-D NMR. A comparison of the calcium and magnesium loaded forms, 837
Bandyopadhyay R, Brawerman G, Secondary structure at the beginning of the poly(A) sequence of mouse ß-actin messenger RNA, *1*031
Baranov V — *See* Serdyuk I *et al*, 299
Barbalat-Rey F — *See* Tronchet JMJ *et al*, 57
Bardsley RG, Allcock SMJ, Dawson JM, Dumelow NW, Higgins JA, Lasslet YV, Lockley AK, Parr T, Buttery PJ, Effect of ß-agonist on expression of calpain and calpastatin activity in skeletal muscle, 267
Barritault D — *See* Pederiset M *et al*, *1*091
Barroso G — *See* Nieto R *et al*, 903
Barry JA — *See* Lien YHH *et al*, 931
Bayles KW — *See* Cheo DL *et al*, 755
Bergwerff AA, Hulleman SHD, Kamerling JP, Vliegenthart JFG, Shaw L, Reuter G, Schauer R, Nature and biosynthesis of sialic acids in the starfish *Asterias rubens*. Identification of sialo-oligomers and detection of *S*-adenosyl-L-methionine: *N*-acylneuraminate 8-*O*-methyltransferase and CPM-*N*-acetylneuraminate monooxygenase activities, 25
Beridze T, Tsirekidze N, Roytberg MA, On the tertiary structure of satellite DNA, 187
Bernard M — *See* Percheron F *et al*, 5
Biol MC, Martin A, Louisot P, Nutritional and developmental regulation of glycosylation processes in digestive organs, 13
Bird T, Burbulys D, Wu JJ, Strauch MA, Hoch JA, Spiegelman GB, The effect of supercoiling on the *in vitro* transcription of the spoIIA operon from *Bacillus subtilis*, 627
Birnbaum D — *See* Ollendorff V *et al*, 1035
Blaghen M, El Kebbaj MS, Vidon DJM, Tritsch D, Essential arginines in mercuric reductase isolated from *Yersinia enterocolitica* 138A14, 557
Bligny R — *See* Gout E *et al*, 875
Boelens R — *See* Peters AR *et al*, 859
Bogdanov AA — *See* Dontsova OA *et al*, 363
Bogdanova SL — *See* Dontsova OA *et al*, 363
Boiziau C — *See* Boutorine AS *et al*, 485
Bonmatin JM, Genest M, Petit MC, Gincel E, Simorre JP, Cornet B, Gallet X, Caille A, Labbé H, Vovelle F, Ptak M, Progress in multidimensional NMR investigations of peptide and protein 3-D structures in solution. From structure to functional aspects, 825
Borstnik B — *See* Ugarkovic D *et al*, 1075
Bosso C — *See* Simiand C *et al*, 75
Bourrillon R — *See* Goulut-Chassaing C *et al*, 101
Boutorine AS, Boiziau C, Le Doan T, Toulmé JJ, Hélène C, Effect of the terminal phosphate derivatization of ß- and α-oligodeoxynucleotides on their antisense activity in protein biosynthesis, stability, and their uptake by eucaryotic cells, 485
Brand A, Engelmann J, Leibfritz D, A ^{13}C NMR study on fluxes into the TCA cycle of neuronal and glial tumor cell lines and primary cells, 941
Brawerman G — *See* Bandyopadhyay R, Brawerman G, 1031
Brénot F, Aubry L, Martin JB, Satre M, Klein G, Kinetics of endosomal acidification in *Dictyostelium discoideum* amoebae. ^{31}P-NMR evidence for a very acidic early endosomal compartment, 883
Briguet A — *See* Zaim-Wadghiri Y *et al*, 769
Brimacombe R, Structure-function correlations (and discrepancies) in the 16S ribosomal RNA from *Escherichia coli*, 319
Brossmer R — *See* Kemmner W *et al*, 117
Brouillet S, Risler JL, Hénaut A, Slonimski PP, Evolutionary divergence plots of homologous proteins, 571
Brustis JJ — *See* Cottin P *et al*, 565
Bubunenko MG, Kireeva ML, Gudkov AT, Novel data on interactions of elongation factor Ts, 419
Burbulys D — *See* Bird T *et al*, 627
Burgat JM, Roulet A, Cardinaud R, Refined conditions for selective modifications of rabbit skeletal myosin light chains, *1*083
Buttery PJ — *See* Bardsley RG *et al*, 267

C

Cabañas C — *See* Leal MA *et al*, 545
Cahoreau C, Petridou B, Cerutti M, Djiane J, Devauchelle G, Expression of the full-length rabbit prolactin receptor and its specific domains in baculovirus infected insect cells, 1053
Caille A — *See* Bonmatin JM *et al*, 825
Caldéron AA — *See* Zapata JM *et al*, 143
Calle C — *See* Leal MA *et al*, 545

Canioni P — *See* Merle M *et al*, 919
Cardinaud R — *See* Burgat JM *et al*, 1083
Cartier N — *See* Joseleau JP *et al*, 81
Castro MMCA — *See* Ramasamy R *et al*, 777
Cavé A — *See* Baldellon C *et al*, 837
Cazlaris H — *See* Vandamme V *et al*, 89
Cerdán S — *See* Nieto R *et al*, 903
Cerutti M — *See* Cahoreau C *et al*, 1053
Chambat G — *See* Joseleau JP *et al*, 81
Chang BY, Shyu YT, Doi RH, The interaction between *Bacillus subtilis* sigma-A (σ^A) factor and RNA polymerase with promoters, 601
Chen W, Guéron M, The inhibition of bovine heart hexokinase by 2-deoxy-D-glucose-6-phosphate: characterization by ^{31}P NMR and metabolic implications, 867
Cheo DL, Bayles KW, Yasbin RE, Molecular characterization of regulatory elements controlling expression of the *Bacillus subtilis recA*+ gene, 755
Chernoff YO, Ptyushkina MV, Samsonova MG, Sizonencko GI, Pavlov YI, Ter-Avanesyan MD, Inge-Vechtomov SG, Conservative system for dosage-dependent modulation of translation fidelty in eukaryotes, 455
Chervin C, Thibaud MC, Inhibition of plant and animal cytochrome oxidases by nitrous oxide as a function of cytochrome *c* concentration, 1125
Chevalier G, Delamarche C, Protein IIIa of *Rhizobium leguminosarum* is probably a porin, 1121
Chevet E — *See* Pederiset M *et al*, 1091
Christiansen JA — *See* Goll DE *et al*, 225
Cittanova N — *See* Levashov AV *et al*, 561
Claeys E — *See* Uytterhaegen L *et al*, 275
Cloarec D — *See* Foultier MT *et al*, 975
Colmin C — *See* Guédon G *et al*, 585
Combre A — *See* Foultier MT *et al*, 975
Confort-Gouny S — *See* Vion-Dury J *et al*, 801 — *See* Kriat M *et al*, 913 — *See* Kriat M *et al*, 949
Cornet B — *See* Bonmatin JM *et al*, 825
Cornudella L — *See* Sainz J *et al*, 1067
Corzo J — *See* Pérez-Galdona R *et al*, 539
Cottaz S — *See* Simiand C *et al*, 75
Cottin P, Poussard S, Mornet D, Brustis JJ, Mohammadpour M, Leger J, Ducastaing A, *In vitro* digestion of dystrophin by calcium-dependent proteases, calpains I and II, 565
Courty J — *See* Pederiset M *et al*, 1091
Cozzone PJ — *See* Vion-Dury J *et al*, 801 — *See* Kriat M *et al*, 913 — *See* Kriat M *et al*, 949
Craescu CT — ***, Schaad O, Garel MC, Rosa R, Edelstein S, Structural modeling of the human erythrocyte bisphosphoglycerate mutase, 519 — *See* Martineau L *et al*, 845
Cruz F — *See* Nieto R *et al*, 903
Cuvillier O — *See* Strecker G *et al*, 39

D

Dauchez M, Mazurier J, Montreuil J, Spik G, Vergoten G, Molecular dynamics simulations of a monofucosylated biantennary glycan of the N-acetyllactosamine type: the human lactotransferrin glycan, 63
Davin A — *See* Vion-Dury J *et al*, 801
Dawson JM — *See* Bardsley RG *et al*, 267
Day J — *See* Strauch MA *et al*, 619
de Freitas DM — *See* Ramasamy R *et al*, 777
de Haas GH — *See* Peters AR *et al*, 859
De La Llosa-Hermier MP, Nocart M, Paly J, Hermier C, 20-α-Hydroxysteroid dehydrogenase from pseudopregnant rat ovary: Obtention and characterization of a monoclonal antibody against the enzyme activity, 1117
de Lauzon S — *See* Levashov AV *et al*, 561
de Lencastre H — *See* Henriques AO *et al*, 735
De Vivo R — *See* Grossman AD *et al*, 679
Decaris B — *See* Guédon G *et al*, 585
Decastel M — *See* Goulut-Chassaing C *et al*, 101
Dekker N — *See* Peters AR *et al*, 859
Delamarche C — *See* Chevalier G *et al*, 1121
Delannoy P — *See* Vandamme V *et al*, 89
deLapeyrière O — *See* Ollendorff V *et al*, 1035
Delay D — *See* Papet MP *et al*, 53
Delmotte F — *See* Papet MP *et al*, 53
Delsuc MA — *See* Reisdorf C *et al*, 809
Demeyer D — *See* Ouali A *et al*, 213 — *See* Uytterhaegen L *et al*, 275
Devauchelle G — *See* Cahoreau C *et al*, 1053
Diop A — *See* Zaim-Wadghiri Y *et al*, 769
Dittmann J — *See* Lawen A *et al*, 511
Djiane J — *See* Cahoreau C *et al*, 1053
Doi RH — *See* Chang BY *et al*, 601
Dontsova OA, Rosen KV, Bogdanova SL, Skripkin EA, Kopylov AM, Bogdanov AA, Identification of the *Escherichia coli* 30S ribosomal subunit protein neighboring mRNA during initiation of translation, 363
Douce R — *See* Gout E *et al*, 875
Driguez H — *See* Simiand C *et al*, 75
Dubnau E — *See* Smith I *et al*, 669
Ducastaing A — *See* Cottin P *et al*, 565
Dufresne M, Poirot S, Jimenez J, Vaysse N, Fourmy D, Purification of A-subtype pancreatic cholecystokinin receptor by immunoaffinity chromatography, 149
Dumelow NW — *See* Bardsley RG *et al*, 267
Durand M — *See* Grivet JP *et al*, 897

E

Edelstein S — *See* Craescu CT *et al*, 519
Ekanayake L — *See* Aronson AI *et al*, 661
El Kebbaj MS — *See* Blaghen M *et al*, 557
El'skaya AV — *See* Potapov AP *et al*, 435 — *See* Koval'chuke O *et al*, 443
Eliseikina IA — *See* Garber MB *et al*, 327
Engel M, Bachmann M, Schröder HC, Rinkevich B, Kljajic Z, Uhlenbruck G, Müller WEG, A novel galactose- and arabinose-specific lectin from the sponge *Pellina semitubulosa*: isolation, characterization and immunobiological properties, 527
Engelmann J — *See* Brand A *et al*, 941
Escamilla E — *See* Escobar L, Escamilla E, 161
Escobar L, Escamilla E, Respiratory electron transfer activity in an asolectin-isooctane reverse micellar system, 161

F

Faik A — *See* Joseleau JP *et al*, 81
Fantini J — *See* Kriat M *et al*, 949
Favaudon V — *See* Adjadj É *et al*, 853
Feger J — *See* Slama A *et al*, 109
Fitz-James PC — *See* Aronson AI *et al*, 661
Flores J — *See* Toldrá F *et al*, 291
Fluss L — *See* Karmazyn-Campelli C *et al*, 689
Foglietti MJ — *See* Percheron F *et al*, 5
Fomenkova NP — *See* Garber MB *et al*, 327
Foultier MT, Vonarx-Coinsmann V, Patrice T, Cloarec D, Xu XN, Combre A, Effects of high glucose concentration on survival and respiration of human endothelial cells, 975
Fourmy D — *See* Dufresne M *et al*, 149
Fukui H — *See* Ishino Y *et al*, 131

G

Gallati H — *See* Allam M *et al*, 1097
Gallet X — *See* Bonmatin JM *et al*, 825
Galons JP — *See* Kriat M *et al*, 949
Garber MB, Agalarov SCh, Eliseikina IA, Fomenkova NP, Nikonov SV, Sedelnikova SE, Shikaeva OS, Vasiliev D, Zhdanov AS, Liljas A, Svensson LA, Ribosomal proteins from *Thermus thermophilus* for structural investigations, 327
Garel MC — *See* Craescu CT *et al*, 519
Geesink GH, Ouali A, Smulders FJM, Talmant A, Tassy C, Guignot F, van Laack HLJM, The role of ultimate pH in proteolysis and

calpain/calpastatin activity in bovine muscle, 283
Genest M — *See* Bonmatin JM *et al*, 825
Genix P — *See* Gout E *et al*, 875
Geoffroy M — *See* Tronchet JMJ *et al*, 57
Geraldes CFGC — *See* Ramasamy R *et al*, 777
Gil-Falgon S — *See* Slama A *et al*, 109
Gillies RJ — *See* Lien YHH *et al*, 931
Gincel E — *See* Bonmatin JM *et al*, 825
Ginther C — *See* Lee A *et al*, 635
Goll DE, Thompson VF, Taylor RG, Christiansen JA, Role of the calpain system in muscle growth, 225
Gonsky R, Itamar D, Harary R, Kaempfer R, Binding of ATP and messenger RNA by the ß-subunit of eukaryotic initiation factor 2, 427
Goulut-Chassaing C, Decastel M, Tran AT, Tabary F, Bourrillon R, Identification of peanut agglutinin receptors related to the state of tumoral liver cell differentiation, 101
Gout E, Bligny R, Genix P, Tissut M, Douce R, Effect of glyphosate on cell plant metabolism. ^{31}P and ^{13}C NMR studies, 875
Graifer DM — *See* Karpova GG *et al*, 373
Graveron-Demilly D — *See* Zaim-Wadghiri Y *et al*, 769
Grivet JP, Durand M, Tholozan JL, ^{13}C NMR studies of bacterial fermentations, 897
Grossman AD, Lewis T, Levin N, De Vivo R, Suppressors of a spo0A missense mutation and their effects on sporulation in *Bacillus subtilis*, 679
Gudkov AT — *See* Bubunenko MG *et al*, 419
Guédon G, Pébay M, Colmin C, Simonet JM, Decaris B, The 23S-5S spacer of two rRNA loci of *Streptococcus salivarius* subsp *thermophilus* includes a promotor, 585
Guerin MF — *See* Limas Nzouzi N *et al*, 995 — *See* Limas Nzouzi N *et al*, 1007
Guéron M — *See* Chen W *et al*, 867
Guignot F — *See* Geesink GH *et al*, 283
Gulyamova D — *See* Serdyuk I *et al*, 299
Gutiérrez-Navarro AM — *See* Pérez-Galdona R *et al*, 539

H

Harary R — *See* Gonsky R *et al*, 427
Hardesty B, Odom OW, Picking W, Ribosome function determined by fluorescence, 391
Hauser PM, Karamata D, A method for the determination of bacterial spore DNA content based on isotopic labelling, spore germination and diphenylamine assay; ploidy of spores of several *Bacillus* species, 723
Hayes DH — *See* Limas Nzouzi N *et al*, 995 — *See* Limas Nzouzi N *et al*, 1007
Henriques AO, de Lencastre H, Piggot PJ, A *Bacillus subtilis* morphogene cluster that includes *spoVE* is homologous to the mra region of *Escherichia coli*, 735
Hermier C — *See* De La Llosa-Hermier MP *et al*, 1117
Hervé M, Wietzerin J, Lebourguais O, Tran-Dinh S, Effects of 2-deoxy-D-glucose on the glucose metabolism in *Saccharomyces cerevisiae* studied by multinuclear-NMR spectroscopy and biochemical methods, 1103
Higgins JA — *See* Bardsley RG *et al*, 267
Hixson SS — *See* Sylvers LA *et al*, 381
Hoch JA — *See* Strauch MA *et al*, 619 — *See* Bird T *et al*, 627
Hoet PP — *See* Rayyan W *et al*, 137
Horowitz PM — *See* Yeh LCC *et al*, 1025
Hranueli D — *See* Stojanovic S *et al*, 713
Hudspeth DSS — *See* Tao YP *et al*, 695
Hulleman SHD — *See* Bergwerff AA *et al*, 25
Hélène C — *See* Boutorine AS *et al*, 485
Hénaut A — *See* Brouillet S *et al*, 571

I

Ilan J — *See* Schmeidler-Sapiro KT *et al*, 495
Ilan' J — *See* Schmeidler-Sapiro KT *et al*, 495
Inge-Vechtomov SG — *See* Chernoff YO *et al*, 455
Ishino Y, Iwasaki H, Fukui H, Mineno J, Kato I, Shinagawa H, Aphidicolin inhibits DNA polymerizing activity but not nucleolytic activity of *Escherichia coli* DNA polymerase II, 131
Iskakov BK — *See* Shaikhin SM *et al*, 447
Itamar D — *See* Gonsky R *et al*, 427
Iwasaki H — *See* Ishino Y *et al*, 131

J

Jimenez J — *See* Dufresne M *et al*, 149
Job C — *See* Lien YHH *et al*, 931
Johnson TR — *See* Schmeidler-Sapiro KT *et al*, 495
Joseleau JP, Cartier N, Chambat G, Faik A, Ruel K, Structural features and biological activity of xyloglucans from suspension-cultured plant cells, 81
Jönsson L, Nyman PO, Characterization of a lignin peroxidase gene from the white-rot fungus *Trametes versicolor*, 177

K

Kaempfer R — *See* Gonsky R *et al*, 427
Kahan L — *See* Scheinman A *et al*, 307
Kamerling JP — *See* Bergwerff AA *et al*, 25
Kaptein R — *See* Peters AR *et al*, 859
Karamata D — *See* Hauser PM, Karamata D, 723
Karmazyn-Campelli C, Fluss L, Leighton T, Stragier P, The spoIIN279(ts) mutation affects the FtsA protein of *Bacillus subtilis*, 689
Karpova GG, Graifer DM, Malygin AA, Mundus DA, Zenkova MA, Mamaev SV, Functional topography of human ribosomes as studied by affinity labeling with reactive mRNA analogs, 373
Kato I — *See* Ishino Y *et al*, 131
Kawakami K — *See* Nakamura Y, Kawakami K*l*, 581
Kemmner W, Morgenthaler J, Brossmer R, Alterations in cell surface carbohydrate composition of a human colon carcinoma cell line affect adhesion to extracellular matrix components, 117
Kerjan P, Triconnet M, Waller JP, Mammalian prolyl-tRNA synthetase corresponds to the ≈ 150 kDa subunit of the high-M_r aminoacyl-tRNA synthetase complex, 195
Khettal B — *See* Levashov AV *et al*, 561
Khodyreva S — *See* Moor N *et al*, 353
Khoja SM, Ardawi MSM, Effect of experimental hypothyroidism on the control of 6-phosphofructo-1-kinase activity in rat jejunal mucosa, 989
Kieffer B, Koehl P, Lefèvre JF, Modelling the dynamics of an antigenic peptide using NMR relaxation data, 815
Kireeva ML — *See* Bubunenko MG *et al*, 419
Kirillov SV — *See* Semenkov YP *et al*, 411
Kisselev LL — *See* Steinberg SV, Kisselev LL, 337
Klein G — *See* Brénot F *et al*, 883
Kleinkauf H — *See* Lawen A *et al*, 511
Kljajic Z — *See* Engel M *et al*, 527
Koehl P — *See* Kieffer B *et al*, 815
Koohmaraie M, The role of Ca^{2+}-dependent proteases (calpains) in post mortem proteolysis and meat tenderness, 239
Kopylov AM — *See* Dontsova OA *et al*, 363 — *See* Sylvers LA *et al*, 381
Koshlukova SE, Markovska TT, Pankov RG, Momchilova AB, Koumanov KS, Alterations in microsomal and plasma membranes during liver regeneration, 981
Koumanov KS — *See* Nikolova-Karakashian MN *et al*, 153 — *See* Koshlukova SE *et al*, 981
Koval'chuke O, Potapov AP, El'skaya AV, Interaction of yeast $tRNA^{Phe}$ anticodon arm with 40S ribosomal subunit of rabbit liver, 443
Kozhanov EV — *See* Shaikhin SM *et al*, 447
Kriat M — *See* Vion-Dury J *et al*, 801 — ***, Confort-Gouny S, Vion-Dury J, Viout P, Cozzone PJ, Two-dimensional ^1H NMR spectroscopy of normal and pathological human plasma: complete water suppression and further assignment of resonances, 913 — ***, Fantini J, Vion-Dury J, Confort-Gouny S, Galons JP, Cozzone PJ, Energetic metabolism of glucose, mannose and galactose in glucose-starved rat insulinoma cells anchored on

microcarrier beads. A phosphorus-31 NMR study, 949
Kuntz DA — *See* Rayyan W *et al*, 137

L

Labbé H — *See* Bonmatin JM *et al*, 825
Labouesse J — *See* Merle M *et al*, 919
Lagrou C — *See* Vandamme V *et al*, 89
Lake JA — *See* Scheinman A *et al*, 307
Lasslet YV — *See* Bardsley RG *et al*, 267
Laudet V — *See* Vandamme V *et al*, 89
Lavrik I — *See* Moor N *et al*, 353
Lawen A, Dittmann J, Schmidt B, Riesner D, Kleinkauf H, Enzymatic biosynthesis of cyclosporin A and analogues, 511
Le Doan T — *See* Boutorine AS *et al*, 485
Le Marer N — *See* Vandamme V *et al*, 89
Leal MA, Cabañas C, Rius C, Aller P, Calle C, Modulation by dexamethasone of insulin binding and insulin receptor mRNA levels in U-937 human promonocytic cells, 545
Lebourguais O — *See* Hervé M *et al*, 1103
Lee AV — *See* Shaikhin SM *et al*, 447
Lee A, Malak M, Louie P, Arjomand J, Ginther C, Leighton T, Intergenic suppression of stage II sporulation defects by a mutation in the major vegetative sigma factor gene (*rpoD*) of *Bacillus subtilis*, 635
Lee JC — *See* Yeh LCC *et al*, 1025
Lefèvre JF — *See* Kieffer B *et al*, 815
Leger J — *See* Cottin P *et al*, 565
Leibfritz D — *See* Brand A *et al*, 941
Leighton T — *See* Lee A *et al*, 635
Leighton T — *See* Karmazyn-Campelli C *et al*, 689
Lestienne P, Mitochondrial DNA mutations in human diseases: a review, 123
Levashov AV, Khettal B, de Lauzon S, Waks M, Cittanova N, Kinetics and stability of Δ^5-3-ketosteroid isomerase from *Pseudomonas testosteroni* in the system of reverse micelles of aerosol OT in isooctane, 561
Levin N — *See* Grossman AD *et al*, 679
Lewis T — *See* Grossman AD *et al*, 679
León-Barrios MA — *See* Pérez-Galdona R *et al*, 539
Lhoste JM — *See* Adjadj É *et al*, 853
Lien YHH, Zhou HZ, Job C, Barry JA, Gillies RJ, *In vivo* ^{31}P NMR study of early cellular responses to hyperosmotic shock in cultured glioma cells, 931
Liljas A — *See* Garber MB *et al*, 327
Limas Nzouzi N, Guerin MF, Hayes DH, Ribosomes, ribosomal subunits and ribosomal proteins of *Lactococcus lactis* IL1403, 995 — ***, Guerin MF, Hayes DH, Comparison of electrophoretic distribution patterns of ribosomal RNA gene restriction fragments and of ribosomal subunit proteins of *Lactococci*, *Streptococci*, and *Pediococci*, 1007
Lockley AK — *See* Bardsley RG *et al*, 267
Louie P — *See* Lee A *et al*, 635
Louisot P — *See* Biol MC *et al*, 13
Lucijanic-Justic V — *See* Ugarkovic D *et al*, 1075

M

Maget-Dana R, Thimon L, Peypoux F, Ptak M, Surfactin/iturin A interactions may explain the synergistic effect of surfactin on the biological properties of iturin A, 1047
Malak M — *See* Lee A *et al*, 635
Malet-Martino MC, Martino R, Magnetic resonance spectroscopy: a powerful tool for drug metabolism studies, 785
Malliavin TE — *See* Reisdorf C *et al*, 809
Malygin AA — *See* Karpova GG *et al*, 373
Mamaev SV — *See* Karpova GG *et al*, 373
Marahiel MA — *See* Micka B *et al*, 641
Marics I — *See* Ollendorff V *et al*, 1035
Markovska TT — *See* Koshlukova SE *et al*, 981
Martin A — *See* Biol MC *et al*, 13
Martin JB — *See* Brénot F *et al*, 883
Martineau L, Pagnier J, Mispelter J, Craescu CT, NMR characterization of a diamagnetic model of unliganded α chains from human hemoglobin, 845
Martinet N — *See* Allam M *et al*, 183 — *See* Allam M *et al*, 1097
Martinet Y — *See* Allam M *et al*, 183 — *See* Allam M *et al*, 1097
Martino R — *See* Malet-Martino MC, Martino R, 785
May R — *See* Serdyuk I *et al*, 299
Mazurier J — *See* Dauchez M *et al*, 63
Melloni E, Salamino F, Sparatore B, The calpain-calpastatin system in mammalian cells: properties and possible functions, 217
Mereau A — *See* Pederiset M *et al*, 1091
Merle M, Pianet I, Canioni P, Labouesse J, Comparative ^{31}P and ^{1}H NMR studies on rat astrocytes and C6 glioma cells in culture, 919
Michalski JC — *See* Strecker G *et al*, 39
Micka B, Marahiel MA, The DNA-binding protein HBsu is essential for normal growth and development in *Bacillus subtilis*, 641
Mineno J — *See* Ishino Y *et al*, 131
Minich WB, Ovchinnikov MG, Role of cytoplasmic mRNP proteins in translation, 477
Mispelter J — *See* Martineau L *et al*, 845 — *See* Adjadj É *et al*, 853
Mohammadpour M — *See* Cottin P *et al*, 565
Momchilova AB — *See* Koshlukova SE *et al*, 981
Monsigny M — *See* Papet MP *et al*, 53
Montreuil J — *See* Strecker G *et al*, 39 — *See* Dauchez M *et al*, 63
Moor N, Nazarenko I, Ankilova V, Khodyreva S, Lavrik I, Determination of $tRNA^{Phe}$ recognition nucleotides for phenylalanyl-tRNA synthetase from *Thermus thermophilus*, 353
Morgenthaler J — *See* Kemmner W *et al*, 117
Mornet D — *See* Cottin P *et al*, 565
Mundus DA — *See* Karpova GG *et al*, 373
Muriana FJG, Ruiz-Guitiérrez V, Vazquez CM, Influence of dietary cholesterol on polyunsaturated fatty acid composition, fluidity and membrane-bound enzymes in liver microsomes of rats fed olive and fish oil, 551
Muñoz R — *See* Zapata JM *et al*, 143
Müller WEG — *See* Engel M *et al*, 527

N

Nakamura Y, Kawakami K, Overproduction and purification of lysyl-tRNA synthetase encoded by the *herC* gene of *E coli*, 581
Nazarenko I — *See* Moor N *et al*, 353
Nicoli F — *See* Vion-Dury J *et al*, 801
Nierhaus KH, Schilling-Bartetzko S, Twardowski T, The two main states of the elongation ribosome and the role of the α-sarcin stem-loop structure of 23S RNA, 403
Nieto R, Cruz F, Tejedor JM, Barroso G, Cerdán S, Origin of the ammonia used for mitochondrial citrulline synthesis as revealed by ^{13}C-^{15}N spin coupling patterns observed by ^{13}C-NMR, 903
Nikolova-Karakashian MN, Petkova H, Koumanov KS, Influence of cholesterol on sphingomyelin metabolism and hemileaflet fluidity of rat liver plasma membranes, 153
Nikonov SV — *See* Garber MB *et al*, 327
Nocart M — *See* De La Llosa-Hermier MP *et al*, 1117
Nyman PO — *See* Jönsson L, Nyman PO, 177

O

Odom OW — *See* Hardesty B *et al*, 391
Okamoto K, Vold BS, Activity of ribosomal and tRNA promoters of *Bacillus subtilis* during sporulation, 613
Ollendorff V, Rosnet O, Marics I, Birnbaum D, deLapeyrière O, Isolation and sequence of the murine *Fgf6* cDNA, 1035
Opperdoes FR — *See* Rayyan W *et al*, 137
Ouali A, Demeyer D, Raichon C, An introduction to the special OECD workshop ("The role of proteinases in muscle growth and meat quality", April 1991, Nottingham, UK), 213, — ***, Proteolytic and physicochemical mechanisms involved in meat texture development, 251 — *See* Geesink GH *et al*, 283
Ovcharenko GV — *See* Potapov AP *et al*, 435
Ovchinnikov MG — *See* Minich WB, Ovchinnikov MG, 477

P

Padilla A — *See* Baldellon C *et al*, 837
Pagnier J — *See* Martineau L *et al*, 845
Paly J — *See* De La Llosa-Hermier MP *et al*, 1117
Pankov RG — *See* Koshlukova SE *et al*, 981
Paoletti C — *See* Pognan F, Paoletti C, 1019
Papet MP, Delay D, Monsigny M, Delmotte F, Characterization of two galactosidases extracted from wheat germ with a hydroalcoholic solvent, 53
Parr T — *See* Bardsley RG *et al*, 267
Patrice T — *See* Foultier MT *et al*, 975
Pavlov M — *See* Serdyuk I *et al*, 299
Pavlov YI — *See* Chernoff YO *et al*, 455
Pawelczyk T, Angielski S, Effect of ionic strength on the regulatory properties of 2-oxoglutarate dehydrogenase complex, 171
Pederiset M, Courty J, Mereau A, Chevet E, Barritault D, Purification of a heparin binding FGF receptor (HB-FGRF) from adult bovine brain membranes, 1091
Percheron F, Foglietti MJ, Bernard M, Ricard B, Mammalian ß-D-mannosidase and ß-mannosidosis, 5
Peters AR, Dekker N, van den Berg L, Boelens R, Slotboom AJ, de Haas GH, Kaptein R, NMR studies of interactions between inhibitors and porcine pancreatic phospholipase A_2, 859
Petit MC — *See* Bonmatin JM *et al*, 825
Petkova H — *See* Nikolova-Karakashian MN *et al*, 153
Petridou S, Slepecky RA, Achievement of complete *Bacillus subtilis* microcycle sporulation by the addition of S-adenosylmethionine and phospholipids, 749
Petridou B — *See* Cahoreau C *et al*, 1053
Peypoux F — *See* Maget-Dana R *et al*, 1047
Pianet I — *See* Merle M *et al*, 919
Picking W — *See* Hardesty B *et al*, 391
Piggot PJ — *See* Henriques AO *et al*, 735
Plohl M — *See* Ugarkovic D *et al*, 1075
Pognan F, Paoletti C, Does cruciform DNA provide a recognition signal for DNA-topoisomerase II?, 1019
Poirot S — *See* Dufresne M *et al*, 149
Potapov AP — ***, Ovcharenko GV, Soldatkin KO, Shul'ga NI, Soldatkin AP, El'skaya AV, Cell-free translation systems from different eukaryotes differ in their sensitivity to a template sugar-phosphate backbone, 435 — *See* Koval'chuke O *et al*, 443
Poussard S — *See* Cottin P *et al*, 565
Prats E — *See* Sainz J *et al*, 1067
Predich M — *See* Smith I *et al*, 669
Ptak M — *See* Bonmatin JM *et al*, 825 — *See* Maget-Dana R *et al*, 1047
Ptyushkina MV — *See* Chernoff YO *et al*, 455
Pébay M — *See* Guédon G *et al*, 585
Pérez-Galdona R, Corzo J, León-Barrios MA, Gutiérrez-Navarro AM, Characterization of an aromatic amino acid aminotransferase from Rhizobium leguminosarum biovar trifolii, 539

Q

Quiniou É — *See* Adjadj É *et al*, 853

R

Raichon C — *See* Ouali A *et al*, 213
Ramasamy R, Castro MMCA, de Freitas DM, Geraldes CFGC, Lanthanide complexes of aminophosphonates as shift reagents for ^{7}Li and ^{23}Na NMR studies in biological systems, 777
Rayyan W, Kuntz DA, Opperdoes FR, Hoet PP, Expression in *Bacillus subtilis* of the glycosomal glyceraldehyde-phosphate dehydrogenase gene from *Trypanosoma brucei*, 137
Reisdorf C, Malliavin TE, Delsuc MA, Accurate estimation of inter-atomic distances in large proteins by NMR, 809
Reuter G — *See* Bergwerff AA *et al*, 25
Ricard B — *See* Percheron F *et al*, 5
Ricca A — *See* Tronchet JMJ *et al*, 57
Rico E — *See* Toldrá F *et al*, 291
Riesner D — *See* Lawen A *et al*, 511
Rinkevich B — *See* Engel M *et al*, 527
Risler JL — *See* Brouillet S *et al*, 571
Rius C — *See* Leal MA *et al*, 545
Ros Barceló A — *See* Zapata JM *et al*, 143
Rosa R — *See* Craescu CT *et al*, 519
Rosen KV — *See* Dontsova OA *et al*, 363
Rosnet O — *See* Ollendorff V *et al*, 1035
Roulet A — *See* Burgat JM *et al*, 1083
Roytberg MA — *See* Beridze T *et al*, 187
Rudner R — *See* Smith I *et al*, 669
Ruel K — *See* Joseleau JP *et al*, 81
Ruiz S — *See* Sainz J *et al*, 1067
Ruiz-Guitiérrez V — *See* Muriana FJG *et al*, 551

S

Sainz J, Prats E, Ruiz S, Cornudella L, Organization of repetitive DNA sequences in the genome of the echinoderm *Holothuria tubulosa*, 1067
Salamino F — *See* Melloni E *et al*, 217
Samsonova MG — *See* Chernoff YO *et al*, 455
Sanchez-Salas JL, Sharon M, Setlow P, Effect of mutant small, acid-soluble spore proteins containing cysteine or tryptophan on DNA properties *in vivo* and *in vitro*, 651
Satre M — *See* Brénot F *et al*, 883
Schaad O — *See* Craescu CT *et al*, 519
Schauer R — *See* Bergwerff AA *et al*, 25
Scheinman A, Atha T, Aguinaldo AM, Kahan L, Shankweiler G, Lake JA, Mapping the three-dimensional locations of ribosomal RNA and proteins, 307
Schilling-Bartetzko S — *See* Nierhaus KH *et al*, 403
Schmeidler-Sapiro KT, Johnson TR, Ilan J, Ilan' J, Regulation of transcription by translational components in coupled translation-transcription cell-free system, 495
Schmidt B — *See* Lawen A *et al*, 511
Schröder HC — *See* Engel M *et al*, 527
Sciaky M — *See* Vion-Dury J *et al*, 801
Sedelnikova SE — *See* Garber MB *et al*, 327
Semenkov YP, Shapkina TG, Kirillov SV, Puromycin reaction of the A-site bound peptidyl-tRNA, 411
Serdyuk I, Baranov V, Tsalkova T, Gulyamova D, Pavlov M, Spirin A, May R, Structural dynamics of translating ribosomes, 299
Setlow P — *See* Sanchez-Salas JL *et al*, 651
Shaikhin SM, Smailov SK, Lee AV, Kozhanov EV, Iskakov BK, Interaction of wheat germ translation inititation factor 2 with GDP and GTP, 447
Shankweiler G — *See* Scheinman A *et al*, 307
Shapkina TG — *See* Semenkov YP *et al*, 411
Sharon M — *See* Sanchez-Salas JL *et al*, 651
Shaw L — *See* Bergwerff AA *et al*, 25
Shikaeva OS — *See* Garber MB *et al*, 327
Shinagawa H — *See* Ishino Y *et al*, 131
Shul'ga NI — *See* Potapov AP *et al*, 435
Shyu YT — *See* Chang BY *et al*, 601
Simiand C, Cottaz S, Bosso C, Driguez H, Chemoenzymatic synthesis of modified maltooligosaccharides from cyclodextrin derivatives, 75
Simonet JM — *See* Guédon G *et al*, 585
Simorre JP — *See* Bonmatin JM *et al*, 825
Sizonencko GI — *See* Chernoff YO *et al*, 455
Skripkin EA — *See* Dontsova OA *et al*, 363
Slama A, Gil-Falgon S, Agneray J, Feger J, Comparative effects of diabetes and monensin on the lectin asialoglycoprotein receptor: biosynthesis, structure and function in rats, 109
Slepecky RA — *See* Petridou S, Slepecky RA, 749
Slonimski PP — *See* Brouillet S *et al*, 571
Slotboom AJ — *See* Peters AR *et al*, 859
Smailov SK — *See* Shaikhin SM *et al*, 447
Smith I, Dubnau E, Predich M, Bai U, Rudner R, Early spo gene expression in *Bacillus subtilis*: the role of interrelated signal transduction systems, 669
Smith K, Youngman P, Use of a new integrational vector to investigate compartment-specific expression of the *Bacillus subtilis spoIIM*

gene, 705
Smulders FJM — *See* Geesink GH *et al*, 283
Soldatkin KO — *See* Potapov AP *et al*, 435
Soldatkin AP — *See* Potapov AP *et al*, 435
Sparatore B — *See* Melloni E *et al*, 217
Spiegelman GB — *See* Bird T *et al*, 627
Spik G — *See* Dauchez M *et al*, 63
Spirin A — *See* Serdyuk I *et al*, 299
Steinberg SV, Kisselev LL, Comparison of dissimilarity patterns of *E coli*, yeast and mammalian tRNAs, 337
Stojanovic S, Hranueli D, Young M, Evidence that recombination between reiterated sequences in the *Bacillus subtilis* chromosome does not occur via unequal crossing over, 713
Stragier P — *See* Karmazyn-Campelli C *et al*, 689
Strauch MA, Trach KA, Day J, Hoch JA, Spo0A activates and represses its own synthesis by binding at its dual promoters, 619
Strauch MA — *See* Bird T *et al*, 627
Strecker G, Wieruszeski JM, Cuvillier O, Michalski JC, Montreuil J, ^{1}H and ^{13}C-NMR assignments for sialylated oligosaccharide-alditols related to mucins. Study of thirteen components from hen ovomucin and swallow nest mucin, 39
Svensson LA — *See* Garber MB *et al*, 327
Sylvers LA, Kopylov AM, Wower J, Hixson SS, Zimmermann RA, Photochemical cross-linking of the anticodon loop of yeast $tRNA^{Phe}$ to 30S-subunit protein S7 at the ribosomal A and P sites, 381

T

Tabary F — *See* Goulut-Chassaing C *et al*, 101
Takahashi K, Non-enzymatic weakening of myofibrillar structures during conditioning of meat: calcium ions at 0.1 mM and their effect on meat tenderization, 247
Talmant A — *See* Geesink GH *et al*, 283
Tao YP, Hudspeth DSS, Vary PS, Cloning and sequencing of the *Bacillus megaterium spoIIA* operon, 695
Tassy C — *See* Geesink GH *et al*, 283
Taylor RG — *See* Goll DE *et al*, 225
Tejedor JM — *See* Nieto R *et al*, 903
Ter-Avanesyan MD — *See* Chernoff YO *et al*, 455
Thibaud MC — *See* Chervin C, Thibaud MC, 1125
Thimon L — *See* Maget-Dana R *et al*, 1047
Tholozan JL — *See* Grivet JP *et al*, 897
Thomas AAM — *See* van Heugten HAA *et al*, 463
Thompson VF — *See* Goll DE *et al*, 225
Tissut M — *See* Gout E *et al*, 875
Toldrá F, Rico E, Flores J, Activities of pork muscle proteases in model cured meat systems, 291
Torri G — *See* Vion-Dury J *et al*, 801
Torri J — *See* Vion-Dury J *et al*, 801
Toulmé JJ — *See* Boutorine AS *et al*, 485
Trach KA — *See* Strauch MA *et al*, 619
Tran AT — *See* Goulut-Chassaing C *et al*, 101
Tran-Dinh S — *See* Hervé M *et al*, 1103
Triconnet M — *See* Kerjan P *et al*, 195
Trifonov EN, Recognition of correct reading frame by the ribosome, 357
Tritsch D — *See* Blaghen M *et al*, 557
Tronchet JMJ, Zsély M, Ricca A, Barbalat-Rey F, Geoffroy M, Spin-labelled sulfur containing neoglycolipids, 57
Tsalkova T — *See* Serdyuk I *et al*, 299
Tsirekidze N — *See* Beridze T *et al*, 187
Twardowski T — *See* Nierhaus KH *et al*, 403

U

Ugarkovic D, Plohl M, Lucijanic-Justic V, Borstnik B, Detection of satellite DNA in *Palorus ratzeburgiii*: Analysis of curvature profiles and comparison with *Tenebrio molitor* satellite DNA, 1075
Uhlenbruck G — *See* Engel M *et al*, 527
Uytterhaegen L, Claeys E, Demeyer D, The effect of electrical stimulation on beef tenderness, protease activity and myofibrillar protein fragmentation, 275

V

van den Berg L — *See* Peters AR *et al*, 859
van Heugten HAA, Thomas AAM, Voorma HO, Interaction of protein synthesis initiation factors with the mRNA cap structure, 463
van Laack HLJM — *See* Geesink GH *et al*, 283
Vandamme V, Cazlaris H, Le Marer N, Laudet V, Lagrou C, Verbert A, Delannoy P, Comparison of sialyl- and α-1,3-galactosyltransferase activity in NIH3T3 cells transformed with *ras* oncogene: increased ß-galactoside α-2,6-sialyltransferase, 89
Vary PS — *See* Tao YP *et al*, 695
Vasiliev D — *See* Garber MB *et al*, 327
Vaysse N — *See* Dufresne M *et al*, 149
Vazquez CM — *See* Muriana FJG *et al*, 551
Verbert A — *See* Vandamme V *et al*, 89
Vergoten G — *See* Dauchez M *et al*, 63
Vidon DJM — *See* Blaghen M *et al*, 557
Vion-Dury J — ***, Nicoli F, Torri G, Torri J, Kriat M, Sciaky M, Davin A, Viout P, Confort-Gouny S, Cozzone PJ, High resolution NMR spectroscopy of physiological fluids: from metabolism to physiology, 801 — *See* Kriat M *et al*, 913 — *See* Kriat M *et al*, 949
Viout P — *See* Vion-Dury J *et al*, 801 — *See* Kriat M *et al*, 913
Vliegenthart JFG — *See* Bergwerff AA *et al*, 25
Vold BS — *See* Okamoto K, Vold BS, 613
Vonarx-Coinsmann V — *See* Foultier MT *et al*, 975
Voorma HO — *See* van Heugten HAA *et al*, 463
Voronin LA, Structural consensus of RNA templates replicated by Qß replicase, 491
Vovelle F — *See* Bonmatin JM *et al*, 825
Waks M — *See* Levashov AV *et al*, 561

W

Waller JP — *See* Kerjan P *et al*, 195
Wieruszeski JM — *See* Strecker G *et al*, 39
Wietzerbin J — *See* Herve M *et al*, 1103
Wower J — *See* Sylvers LA *et al*, 381
Wu JJ — *See* Bird T *et al*, 627

X

Xu XN — *See* Foultier MT *et al*, 975

Y

Yasbin RE — *See* Cheo DL *et al*, 755
Yeh LCC, Horowitz PM, Lee JC, Yeast 5S rRNA binding to ribosomal protein L1a alters the fluorescence of tryptophan residues lying outside the binding site, 1025
Young M — *See* Stojanovic S *et al*, 713
Youngman P — *See* Smith K, Youngman P, 705

Z

Zaim-Wadghiri Y, Diop A, Graveron-Demilly D, Briguet A, Improving data acquisition parameters of ^{31}P *in vivo* spectra for signal analysis in the time domain, 769
Zapata JM, Caldéron AA, Muñoz R, Ros Barceló A, Oxidation of hydroquinone by both cellular and extracellular grapevine peroxidase fractions, 143
Zenkova MA — *See* Karpova GG *et al*, 373
Zhdanov AS — *See* Garber MB *et al*, 327
Zhou HZ — *See* Lien YHH *et al*, 931.
Zimmermann RA — *See* Sylvers LA *et al*, 381
Zsély M — *See* Tronchet JMJ *et al*, 57

Biochimie (1992) 74, 1137—1146

Keyword index

A

A site — Puromycin reaction of the A-site bound peptidyl-tRNA, 411
abrB — Suppressors of a spo0A missense mutation and their effects on sporulation in *Bacillus subtilis*, 679
acid-soluble spore protein — Effect of mutant small, acid-soluble spore proteins containing cysteine or tryptophan on DNA properties *in vivo* and *in vitro*, 651
acyl-CoA:cholesterol acyltransferase — Influence of dietary cholesterol on polyunsaturated fatty acid composition, fluidity and membrane-bound enzymes in liver microsomes of rats fed olive and fish oil, 551
S-adenosyl-L-methionine — Achievement of complete *Bacillus subtilis* microcycle sporulation by the addition of S-adenosylmethionine and phospholipids, 749
ADP — Effect of ionic strength on the regulatory properties of 2-oxoglutarate dehydrogenase complex, 171
affinity labelling — Purification of A-subtype pancreatic cholecystokinin receptor by immunoaffinity chromatography, 149 — Functional topography of human ribosomes as studied by affinity labeling with reactive mRNA analogs, 373
ß-agonist — Effect of ß-agonist on expression of calpain and calpastatin activity in skeletal muscle, 267
alkylating derivative — Effect of the terminal phosphate derivatization of ß- and α-oligodeoxynucleotides on their antisense activity in protein biosynthesis, stability, and their uptake by eucaryotic cells, 485
amide proton exchange — Kinetics of amide proton exchange in parvalbumin studied by ^{1}H 2-D NMR. A comparison of the calcium and magnesium loaded forms, 837
aminoacyl-tRNA synthetase — Comparison of dissimilarity patterns of *E coli*, yeast and mammalian tRNAs, 337
aminopeptidase — Activities of pork muscle proteases in model cured meat systems, 291
aminophoshonate — Kinetics of endosomal acidification in *Dictyostelium discoideum* amoebae. ^{31}P-NMR evidence for a very acidic early endosomal compartment, 883
aminotransferase — Characterization of an aromatic amino acid aminotransferase from *Rhizobium leguminosarum* biovar *trifolii*, 539
anaerobic metabolism — ^{13}C NMR studies of bacterial fermentations, 897
anaesthetic — Inhibition of plant and animal cytochrome oxidases by nitrous oxide as a function of cytochrome *c* concentration, 1125
anti-xylaglucan antibody — Structural features and biological activity of xyloglucans from suspension-cultured plant cells, 81
antibiotic lipopeptides — Surfactin/iturin A interactions may explain the synergistic effect of surfactin on the biological properties of iturin A, 1047
anticancer fluoropyrimidine — Magnetic resonance spectroscopy: a powerful tool for drug metabolism studies, 785
anticodon arm — Interaction of yeast $tRNA^{Phe}$ anticodon arm with 40S ribosomal subunit of rabbit liver, 443
antisense α-oligonucleotide — Effect of the terminal phosphate derivatization of ß- and α-oligodeoxynucleotides on their antisense activity in protein biosynthesis, stability, and their uptake by eucaryotic cells, 485
arabinose — A novel galactose- and arabinose-specific lectin from the sponge *Pellina semitubulosa*: isolation, characterization and immunobiological properties, 527
arginine modification — Essential arginines in mercuric reductase isolated from *Yersinia enterocolitica* 138A14, 557
aromatic amino acids — Characterization of an aromatic amino acid aminotransferase from *Rhizobium leguminosarum* biovar *trifolii*, 539
artificial isoform — Refined conditions for selective modifications of rabbit skeletal myosin light chains, 1083
asiologlycoprotein receptor — Comparative effects of diabetes and monensin on the lectin asialoglycoprotein receptor: biosynthesis, structure and function in rats, 109
astrocyte — Comparative ^{31}P and ^{1}H NMR studies on rat astrocytes and C6 glioma cells in culture, 919
ATP — Effect of ionic strength on the regulatory properties of 2-oxoglutarate dehydrogenase complex, 171
ATP affinity chromatography — Binding of ATP and messenger RNA by the ß-subunit of eukaryotic initiation factor 2, 427
ATP in transition — Binding of ATP and messenger RNA by the ß-subunit of eukaryotic initiation factor 2, 427
ATPase stability — Refined conditions for selective modifications of rabbit skeletal myosin light chains, 1083
azacytidine — Achievement of complete *Bacillus subtilis* microcycle sporulation by the addition of S-adenosylmethionine and phospholipids, 749
azidoadenosine — Photochemical cross-linking of the anticodon loop of yeast $tRNA^{Phe}$ to 30S-subunit protein S7 at the ribosomal A and P sites, 381

B

Bacillus megaterium — Cloning and sequencing of the Bacillus megaterium spoIIA operon, 695
***Bacillus* spore** — A method for the determination of bacterial spore DNA content based on isotopic labelling, spore germination and diphenylamine assay; ploidy of spores of several *Bacillus* species, 723
Bacillus subtilis — Aphidicolin inhibits DNA polymerizing activity but not nucleolytic activity of *Escherichia coli* DNA polymerase II, 131 — Expression in *Bacillus subtilis* of the glycosomal glyceraldehyde-phosphate dehydrogenase gene from *Trypanosoma brucei*, 137 — Activity of ribosomal and tRNA promoters of *Bacillus subtilis* during sporulation, 613 — Spo0A activates and represses its own synthesis by binding at its dual promoters, 619 — The effect of supercoiling on the *in vitro* transcription of the spoIIA operon from *Bacillus subtilis*, 627 — Intergenic suppression of stage II sporulation defects by a mutation in the major vegetative sigma factor gene (*rpoD*) of *Bacillus subtilis*, 635 — The DNA-binding protein HBsu is essential for normal growth and development in *Bacillus subtilis*, 641 — Protein filaments may initiate the assembly of the *Bacillus subtilis* spore coat, 661 — The spoIIN279(ts) mutation affects the FtsA protein of *Bacillus subtilis*, 689 — Evidence that recombination between reiterated sequences in the *Bacillus subtilis* chromosome does not occur via unequal crossing over, 713 — A *Bacillus subtilis* morphogene cluster that includes *spoVE* is homologous to the mra region of *Escherichia coli*, 735 — Achievement of complete *Bacillus subtilis* microcycle sporulation by the addition of S-adenosylmethionine and phospholipids, 749

Bacillus subtilis **recA** — Molecular characterization of regulatory elements controlling expression of the *Bacillus subtilis recA+* gene, 755
bacteria — ^{13}C NMR studies of bacterial fermentations, 897
baculovirus — Expression of the full-length rabbit prolactin receptor and its specific domains in baculovirus infected insect cells, 1053
beef tenderness — The effect of electrical stimulation on beef tenderness, protease activity and myofibrillar protein fragmentation, 275 — The role of ultimate pH in proteolysis and calpain/calpastatin activity in bovine muscle, 283
benzoquinone — Oxidation of hydroquinone by both cellular and extracellular grapevine peroxidase fractions, 143
bifunctional protein — Mammalian prolyl-tRNA synthetase corresponds to the ≈ 150 kDa subunit of the high-M_r aminoacyl-tRNA synthetase complex, 195
biological fluid — Magnetic resonance spectroscopy: a powerful tool for drug metabolism studies, 785
biosurfactant — Progress in multidimensional NMR investigations of peptide and protein 3-D structures in solution. From structure to functional aspects, 825 — Surfactin/iturin A interactions may explain the synergistic effect of surfactin on the biological properties of iturin A, 1047
biosynthesis — Enzymatic biosynthesis of cyclosporin A and analogues, 511
biotechnology — Kinetics and stability of Δ^5-3-ketosteroid isomerase from *Pseudomonas testosteroni* in the system of reverse micelles of aerosol OT in isooctane, 561
biphosphoglycerate mutase — Structural modeling of the human erythrocyte bisphosphoglycerate mutase, 519
blood monocyte — Differential expression of PDGF A- and B-chain genes and production of AA and AB dimers by activated human blood monocytes, 1097
2,3-butanedione — Essential arginines in mercuric reductase isolated from *Yersinia enterocolitica* 138A14, 557

C

c-Ha-*ras* oncogene — Comparison of sialyl- and α-1,3-galactosyltransferase activity in NIH3T3 cells transformed with *ras* oncogene: increased ß-galactoside α-2,6-sialyltransferase, 89
C2-deoxy-D-glucose — Effects of 2-deoxy-D-glucose on the glucose metabolism in *Saccharomyces cerevisiae* studied by multinuclear-NMR spectroscopy and biochemical methods, 1103
C6 cell — Comparative ^{31}P and ^1H NMR studies on rat astrocytes and C6 glioma cells in culture, 919
Ca^{2+} Mg^{2+} exchange — Kinetics of amide proton exchange in parvalbumin studied by ^1H 2-D NMR. A comparison of the calcium and magnesium loaded forms, 837
Ca^{2+}-dependent proteolysis — *In vitro* digestion of dystrophin by calcium-dependent proteases, calpains I and II, 565
calcium — The role of Ca^{2+}-dependent proteases (calpains) in post mortem proteolysis and meat tenderness, 239
calcium ion — Non-enzymatic weakening of myofibrillar structures during conditioning of meat: calcium ions at 0.1 mM and their effect on meat tenderization, 247
calcium requirement — The calpain-calpastatin system in mammalian cells: properties and possible functions, 217
calpain — The calpain-calpastatin system in mammalian cells: properties and possible functions, 217 — Role of the calpain system in muscle growth, 225 — The role of Ca^{2+}-dependent proteases (calpains) in post mortem proteolysis and meat tenderness, 239 — Proteolytic and physicochemical mechanisms involved in meat texture development, 251 — Effect of ß-agonist on expression of calpain and calpastatin activity in skeletal muscle, 267 — The role of ultimate pH in proteolysis and calpain/calpastatin activity in bovine muscle, 283 — *In vitro* digestion of dystrophin by calcium-dependent proteases, calpains I and II, 565
calpastatin — The calpain-calpastatin system in mammalian cells: properties and possible functions, 217 — The role of Ca^{2+}-dependent proteases (calpains) in post mortem proteolysis and meat tenderness, 239 — Effect of ß-agonist on expression of calpain and calpastatin activity in skeletal muscle, 267 — The role of ultimate pH in proteolysis and calpain/calpastatin activity in bovine muscle, 283
cancer — High resolution NMR spectroscopy of physiological fluids: from metabolism to physiology, 801 — Two-dimensional ^1H NMR spectroscopy of normal and pathological human plasma: complete water suppression and further assignment of resonances, 913
cancer cell — Deviant energetic metabolism of glycolytic cancer cells, 959
cardiomyopathy — Refined conditions for selective modifications of rabbit skeletal myosin light chains, 1083
cathepsin — Proteolytic and physicochemical mechanisms involved in meat texture development, 251 — Activities of pork muscle proteases in model cured meat systems, 291
cell adhesion — Alterations in cell surface carbohydrate composition of a human colon carcinoma cell line affect adhesion to extracellular matrix components, 117
cell differentiation — Identification of peanut agglutinin receptors related to the state of tumoral liver cell differentiation, 101
cell division — The spoIIN279(ts) mutation affects the FtsA protein of *Bacillus subtilis*, 689
cell surface carbohydrates — Alterations in cell surface carbohydrate composition of a human colon carcinoma cell line affect adhesion to extracellular matrix components, 117
cellular uptake — Effect of the terminal phosphate derivatization of ß- and α-oligodeoxynucleotides on their antisense activity in protein biosynthesis, stability, and their uptake by eucaryotic cells, 485
cerebrospinal fluid — High resolution NMR spectroscopy of physiological fluids: from metabolism to physiology, 801
chaperon — The spoIIN279(ts) mutation affects the FtsA protein of *Bacillus subtilis*, 689
chemical modification — Effect of the terminal phosphate derivatization of ß- and α-oligodeoxynucleotides on their antisense activity in protein biosynthesis, stability, and their uptake by eucaryotic cells, 485
cholecystokinin receptor — Purification of A-subtype pancreatic cholecystokinin receptor by immunoaffinity chromatography, 149
cholesterol — Influence of cholesterol on sphingomyelin metabolism and hemileaflet fluidity of rat liver plasma membranes, 153 — Influence of dietary cholesterol on polyunsaturated fatty acid composition, fluidity and membrane-bound enzymes in liver microsomes of rats fed olive and fish oil, 551
citrulline synthesis — Origin of the ammonia used for mitochondrial citrulline synthesis as revealed by ^{13}C-^{15}N spin coupling patterns observed by ^{13}C-NMR, 903
cleavable complex — Does cruciform DNA provide a recognition signal for DNA-topoisomerase II?, 1019
CMP-N-acetylneuraminic acid monooxydase — Nature and biosynthesis of sialic acids in the Starfish *Asterias rubens*. Identification of sialo-oligomers and detection of *S*-adenosyl-L-methionine: *N*-acylneuraminate 8-*O*-methyltransferase and CPM-*N*-acetylneuraminate monooxygenase activities, 25
coat assembly — Protein filaments may initiate the assembly of the *Bacillus subtilis* spore coat, 661
Coleoptera — Detection of satellite DNA in *Palorus ratzeburgii*: Analysis of curvature profiles and comparison with *Tenebrio molitor* satellite DNA, 1075
Collocalia mucin — ^1H and ^{13}C-NMR assignments for sialylated oligosaccharide-alditols related to mucins. Study of thirteen components from hen ovomucin and swallow nest mucin, 39
colon carcinoma — Alterations in cell surface carbohydrate composition of a human colon carcinoma cell line affect adhesion to extracellular matrix components, 117
compartment-specific gene expression — Evidence that recombination between reiterated sequences in the *Bacillus subtilis* chromosome does not occur via unequal crossing over, 713
competitive inhibitors — NMR studies of interactions between inhibitors and porcine pancreatic phospholipase A2, 859
conformational analysis — Spin-labelled sulfur containing neoglycolipids, 57
connectin filament — Non-enzymatic weakening of myofibrillar structures during conditioning of meat: calcium ions at 0.1 mM and their effect on meat tenderization, 247
cooperativity — Interaction of yeast $tRNA^{Phe}$ anticodon arm with 40S ribosomal subunit of rabbit liver, 443

cross-link — Identification of the *Escherichia coli* 30S ribosomal subunit protein neighboring mRNA during initiation of translation, 363 — Photochemical cross-linking of the anticodon loop of yeast $tRNA^{Phe}$ to 30S-subunit protein S7 at the ribosomal A and P sites, 381
crsA — Intergenic suppression of stage II sporulation defects by a mutation in the major vegetative sigma factor gene (*rpoD*) of *Bacillus subtilis*, 635
crystal — Ribosomal proteins from *Thermus thermophilus* for structural investigations, 327
cured meat — Activities of pork muscle proteases in model cured meat systems, 291
cyclosporin A — Enzymatic biosynthesis of cyclosporin A and analogues, 511
cysteine — Effect of mutant small, acid-soluble spore proteins containing cysteine or tryptophan on DNA properties *in vivo* and *in vitro*, 651
cytidine — Achievement of complete *Bacillus subtilis* microcycle sporulation by the addition of S-adenosylmethionine and phospholipids, 749
cytochrome oxidase — Respiratory electron transfer activity in an asolectin-isooctane reverse micellar system, 161 — Inhibition of plant and animal cytochrome oxidases by nitrous oxide as a function of cytochrome *c* concentration, 1125
cytoskeletal protein — *In vitro* digestion of dystrophin by calcium-dependent proteases, calpains I and II, 565

D

dasaturase — Influence of dietary cholesterol on polyunsaturated fatty acid composition, fluidity and membrane-bound enzymes in liver microsomes of rats fed olive and fish oil, 551
decoding site — Photochemical cross-linking of the anticodon loop of yeast $tRNA^{Phe}$ to 30S-subunit protein S7 at the ribosomal A and P sites, 381
defensin A — Progress in multidimensional NMR investigations of peptide and protein 3-D structures in solution. From structure to functional aspects, 825
deletion — Mitochondrial DNA mutations in human diseases: a review, 123
deoxy-glucose — The inhibition of bovine heart hexokinase by 2-deoxy-D-glucose-6-phosphate: characterization by ^{31}P NMR and metabolic implications, 867
development — Nutritional and developmental regulation of glycosylation processes in digestive organs, 13
dexamethasone — Modulation by dexamethasone of insulin binding and insulin receptor mRNA levels in U-937 human promonocytic cells, 545
Dictyostelium disdoideum — Kinetics of endosomal acidification in *Dictyostelium discoideum* amoebae. ^{31}P-NMR evidence for a very acidic early endosomal compartment, 883
diet — Nutritional and developmental regulation of glycosylation processes in digestive organs, 13
dimethyl methylphosphanate — *In vivo* ^{31}P NMR study of early cellular responses to hyperosmotic shock in cultured glioma cells, 931
DNA — Mitochondrial DNA mutations in human diseases: a review, 123
DNA bending — Detection of satellite DNA in *Palorus ratzeburgii*: Analysis of curvature profiles and comparison with Tenebrio molitor satellite DNA, 1075
DNA damage — Molecular characterization of regulatory elements controlling expression of the *Bacillus subtilis recA+* gene, 755
DNA hybridization electron microscopy — Mapping the three-dimensional locations of ribosomal RNA and proteins, 307
DNA-binding — The DNA-binding protein HBsu is essential for normal growth and development in *Bacillus subtilis*, 641 — Effect of mutant small, acid-soluble spore proteins containing cysteine or tryptophan on DNA properties *in vivo* and *in vitro*, 651
DNA-condensation — The DNA-binding protein HBsu is essential for normal growth and development in *Bacillus subtilis*, 641
dnaB134(Ts) — A method for the determination of bacterial spore DNA content based on isotopic labelling, spore germination and diphenylamine assay; ploidy of spores of several Bacillus species, 723
dolichol — Nutritional and developmental regulation of glycosylation processes in digestive organs, 13
drug metabolism — Magnetic resonance spectroscopy: a powerful tool for drug metabolism studies, 785
dynamic simulation — Molecular dynamics simulations of a monofucosylated biantennary glycan of the N-acetyllactosamine type: the human lactotransferrin glycan, 63
dynamics — Modelling the dynamics of an antigenic peptide using NMR relaxation data, 815
dystrophin — *In vitro* digestion of dystrophin by calcium-dependent proteases, calpains I and II, 565

E

echinoderm — Organization of repetitive DNA sequences in the genome of the echinoderm *Holothuria tubulosa*, 1067
EF-Tu-Aa-tRNA complex — Novel data on interactions of elongation factor Ts, 419
eIF-2 — Binding of ATP and messenger RNA by the ß-subunit of eukaryotic initiation factor 2, 427 — Interaction of wheat germ translation inititation factor 2 with GDP and GTP, 447
eIF-2ß subunit — Binding of ATP and messenger RNA by the ß-subunit of eukaryotic initiation factor 2, 427
electrical stimulation — The effect of electrical stimulation on beef tenderness, protease activity and myofibrillar protein fragmentation, 275
electron microscopy — Structure-function correlations (and discrepancies) in the 16S ribosomal RNA from *Escherichia coli*, 319
electrophoresis — Ribosomes, ribosomal subunits and ribosomal proteins of *Lactococcus lactis* IL1403, 995 — Comparison of electrophoretic distribution patterns of ribosomal RNA gene restriction fragments and of ribosomal subunit proteins of *Lactococci*, *Streptococci*, and *Pediococci*, 1007
elicitation — Structural features and biological activity of xyloglucans from suspension-cultured plant cells, 81
elongation factor — Conservative system for dosage-dependent modulation of translation fidelty in eukaryotes, 455
elongation factor Ts — Novel data on interactions of elongation factor Ts, 419
endothelial cell — Effects of high glucose concentration on survival and respiration of human endothelial cells, 975
EPR spectroscopy — Spin-labelled sulfur containing neoglycolipids, 57
eukaryotic cell-free translation — Cell-free translation systems from different eukaryotes differ in their sensitivity to a template sugar-phosphate backbone, 435
eukaryotic initiation factors — Interaction of protein synthesis initiation factors with the mRNA cap structure, 463
evolution — Conservative system for dosage-dependent modulation of translation fidelty in eukaryotes, 455
extracellular matrix — Alterations in cell surface carbohydrate composition of a human colon carcinoma cell line affect adhesion to extracellular matrix components, 117

F

fatty acid composition — Influence of dietary cholesterol on polyunsaturated fatty acid composition, fluidity and membrane-bound enzymes in liver microsomes of rats fed olive and fish oil, 551
fibroblast growth factor — Isolation and sequence of the murine Fgf6 cDNA, 1035
filament — Protein filaments may initiate the assembly of the *Bacillus subtilis* spore coat, 661
fluid-phase pinocytosis — Kinetics of endosomal acidification in *Dictyostelium discoideum* amoebae. ^{31}P-NMR evidence for a very acidic early endosomal compartment, 883
fluidity — Influence of cholesterol on sphingomyelin metabolism and hemileaflet fluidity of rat liver plasma membranes, 153 — Alterations in microsomal and plasma membranes during liver

regeneration, 981
fluorescence — Ribosome function determined by fluorescence, 391 — Yeast 5S rRNA binding to ribosomal protein L1a alters the fluorescence of tryptophan residues lying outside the binding site, 1025
5-fluorouracil cardiotoxicity — Magnetic resonance spectroscopy: a powerful tool for drug metabolism studies, 785
footprinting — Spo0A activates and represses its own synthesis by binding at its dual promoters, 619
frame monitoring — Recognition of correct reading frame by the ribosome, 357
fucosylated lipid — Two-dimensional ^{1}H NMR spectroscopy of normal and pathological human plasma: complete water suppression and further assignment of resonances, 913
functional site — Structure-function correlations (and discrepancies) in the 16S ribosomal RNA from *Escherichia coli*, 319

G

galactose — A novel galactose- and arabinose-specific lectin from the sponge *Pellina semitubulosa*: isolation, characterization and immunobiological properties, 527
ß-galactoside α-2,6-sialyltransferase — Comparison of sialyl- and α-1,3-galactosyltransferase activity in NIH3T3 cells transformed with *ras* oncogene: increased ß-galactoside α-2,6-sialyltransferase, 89
α-1,3-galactosyltransferase — Comparison of sialyl- and α-1,3-galactosyltransferase activity in NIH3T3 cells transformed with *ras* oncogene: increased ß-galactoside α-2,6-sialyltransferase, 89
GDP and GTP binding — Interaction of wheat germ translation inititation factor 2 with GDP and GTP, 447
gene — Comparison of electrophoretic distribution patterns of ribosomal RNA gene restriction fragments and of ribosomal subunit proteins of *Lactococci, Streptococci,* and *Pediococci*, 1007
gene expression — Early spo gene expression in *Bacillus subtilis*: the role of interrelated signal transduction systems, 669
gene regulation — Molecular characterization of regulatory elements controlling expression of the *Bacillus subtilis recA+* gene, 755
genetic competence — Molecular characterization of regulatory elements controlling expression of the *Bacillus subtilis recA+* gene, 755
genetic instability — Evidence that recombination between reiterated sequences in the *Bacillus subtilis* chromosome does not occur via unequal crossing over, 713
genomic abundance — Organization of repetitive DNA sequences in the genome of the echinoderm *Holothuria tubulosa*, 1067
genomic library — Characterization of a lignin peroxidase gene from the white-rot fungus *Trametes versicolor*, 177
glioma — *In vivo* ^{31}P NMR study of early cellular responses to hyperosmotic shock in cultured glioma cells, 931
glucoamylase specificity — Chemoenzymatic synthesis of modified maltooligosaccharides from cyclodextrin derivatives, 75
glucocorticoids — Nutritional and developmental regulation of glycosylation processes in digestive organs, 13
glucose metabolism — Effects of high glucose concentration on survival and respiration of human endothelial cells, 975 — Effects of 2-deoxy-D-glucose on the glucose metabolism in *Saccharomyces cerevisiae* studied by multinuclear-NMR spectroscopy and biochemical methods, 1103
glucosylation — Nutritional and developmental regulation of glycosylation processes in digestive organs, 13
glycan conformation — Molecular dynamics simulations of a monofucosylated biantennary glycan of the N-acetyllactosamine type: the human lactotransferrin glycan, 63
glycolysis — Deviant energetic metabolism of glycolytic cancer cells, 959
glycosidase — Characterization of two galactosidases extracted from wheat germ with a hydroalcoholic solvent, 53
glycosomal glyceralehyde-phosphate dehydrogenase — Aphidicolin inhibits DNA polymerizing activity but not nucleolytic activity of *Escherichia coli* DNA polymerase II, 131 — Expression in *Bacillus subtilis* of the glycosomal glyceraldehyde-phosphate dehydrogenase gene from *Trypanosoma brucei*, 137
glycosyltransferase — Nutritional and developmental regulation of glycosylation processes in digestive organs, 13
glylcolipids — Spin-labelled sulfur containing neoglycolipids, 57
glyphosate — Effect of glyphosate on cell plant metabolism. ^{31}P and ^{13}C NMR studies, 875
grapevine — Oxidation of hydroquinone by both cellular and extracellular grapevine peroxidase fractions, 143
graphical representation of proteins — Evolutionary divergence plots of homologous proteins, 571
growth factor — Differential migratory response of U-2 OS osteosarcoma cells to the various forms of platelet-derived growth factor, 183

H

hairpin DNA — Does cruciform DNA provide a recognition signal for DNA-topoisomerase II?, 1019
heart — The inhibition of bovine heart hexokinase by 2-deoxy-D-glucose-6-phosphate: characterization by ^{31}P NMR and metabolic implications, 867
hen ovomucin — ^{1}H and ^{13}C-NMR assignments for sialylated oligosaccharide-alditols related to mucins. Study of thirteen components from hen ovomucin and swallow nest mucin, 39
heparin binding FGF receptor — Purification of a heparin binding FGF receptor (HB-FGRF) from adult bovine brain membranes, 1091
heparitinase treatment — Purification of a heparin binding FGF receptor (HB-FGRF) from adult bovine brain membranes, 1091
herbicide — Effect of glyphosate on cell plant metabolism. ^{31}P and ^{13}C NMR studies, 875
herC — Overproduction and purification of lysyl-tRNA synthetase encoded by the *herC* gene of *E coli*, 581
hexose metabolism — Energetic metabolism of glucose, mannose and galactose in glucose-starved rat insulinoma cells anchored on microcarrier beads. A phosphorus-^{31} NMR study, 949
histidine protein kinase — Suppressors of a spo0A missense mutation and their effects on sporulation in *Bacillus subtilis*, 679
histonelike protein — The DNA-binding protein HBsu is essential for normal growth and development in *Bacillus subtilis*, 641
homology modeling — Structural modeling of the human erythrocyte bisphosphoglycerate mutase, 519
human hemoglobin — NMR characterization of a diamagnetic model of unliganded α chains from human hemoglobin, 845
human plasma — Two-dimensional ^{1}H NMR spectroscopy of normal and pathological human plasma: complete water suppression and further assignment of resonances, 913
human ribosome — Functional topography of human ribosomes as studied by affinity labeling with reactive mRNA analogs, 373
hybrid isotopic particle — Structural dynamics of translating ribosomes, 299
hydrophobic derivative — Effect of the terminal phosphate derivatization of ß- and α-oligodeoxynucleotides on their antisense activity in protein biosynthesis, stability, and their uptake by eucaryotic cells, 485
hydroquinone oxidation — Oxidation of hydroquinone by both cellular and extracellular grapevine peroxidase fractions, 143
hydrothyroidism — Effect of experimental hypothyroidism on the control of 6-phosphofructo-1-kinase activity in rat jejunal mucosa, 989
hydroxymethylglutaryl-CoA reductase — Influence of dietary cholesterol on polyunsaturated fatty acid composition, fluidity and membrane-bound enzymes in liver microsomes of rats fed olive and fish oil, 551
20-α-hydroxysteroid dehydrogenase — 20-α-Hydroxysteroid dehydrogenase from pseudopregnant rat ovary: Obtention and characterization of a monoclonal antibody against the enzyme activity, 1117

I

ifosfamide — Magnetic resonance spectroscopy: a powerful tool for drug metabolism studies, 785

immunoaffinity purification — Purification of A-subtype pancreatic cholecystokinin receptor by immunoaffinity chromatography, 149
immunoglobulin — The seven-stranded ß-barrel structure of apo-neocarzinostatin as compared to the immunoglobulin domain, 853
***in vitro* transcription** — The interaction between *Bacillus subtilis* sigma-A (σ^A) factor and RNA polymerase with promoters, 601 — The effect of supercoiling on the *in vitro* transcription of the spoIIA operon from *Bacillus subtilis*, 627
***in vivo* spectroscopy** — Improving data acquisition parameters of ^{31}P *in vivo* spectra for signal analysis in the time domain, 769 — Magnetic resonance spectroscopy: a powerful tool for drug metabolism studies, 785
indole-3-acetic acid — Characterization of an aromatic amino acid aminotransferase from Rhizobium leguminosarum biovar trifolii, 539
initiation complex — Identification of the *Escherichia coli* 30S ribosomal subunit protein neighboring mRNA during initiation of translation, 363
insulin receptor gene expression — Modulation by dexamethasone of insulin binding and insulin receptor mRNA levels in U-937 human promonocytic cells, 545
integrational plamid excision — Use of a new integrational vector to investigate compartment-specific expression of the *Bacillus subtilis spoIIM* gene, 705
interatomic distance measurement — Accurate estimation of interatomic distances in large proteins by NMR, 809
intergenic suppresion — Intergenic suppression of stage II sporulation defects by a mutation in the major vegetative sigma factor gene (*rpoD*) of *Bacillus subtilis*, 635
interleukin — A novel galactose- and arabinose-specific lectin from the sponge *Pellina semitubulosa*: isolation, characterization and immunobiological properties, 527
intersubunit contacts — Structural modeling of the human erythrocyte bisphosphoglycerate mutase, 519
intestine — Nutritional and developmental regulation of glycosylation processes in digestive organs, 13
intracellular compartments — Kinetics of endosomal acidification in *Dictyostelium discoideum* amoebae. ^{31}P-NMR evidence for a very acidic early endosomal compartment, 883
ion concentration — Lanthanide complexes of aminophosphonates as shift reagents for ^{7}Li and ^{23}Na NMR studies in biological systems, 777
ion exchange chromatography — Ribosomes, ribosomal subunits and ribosomal proteins of *Lactococcus lactis* IL1403, 995
ionic strength — Effect of ionic strength on the regulatory properties of 2-oxoglutarate dehydrogenase complex, 171
isolated liver nuclei — Regulation of transcription by translational components in coupled translation-transcription cell-free system, 495
iturin A — Surfactin/iturin A interactions may explain the synergistic effect of surfactin on the biological properties of iturin A, 1047

J

jejunum — Effect of experimental hypothyroidism on the control of 6-phosphofructo-1-kinase activity in rat jejunal mucosa, 989

K

Δ^5-3-ketosteroid isomerase — Kinetics and stability of Δ^5-3-ketosteroid isomerase from *Pseudomonas testosteroni* in the system of reverse micelles of aerosol OT in isooctane, 561
kidney — Effect of ionic strength on the regulatory properties of 2-oxoglutarate dehydrogenase complex, 171

L

lack of oligo(dT) binding — Secondary structure at the beginning of the poly(A) sequence of mouse ß-actin messenger RNA, 1031
lanthanide shift reagent — Lanthanide complexes of aminophosphonates as shift reagents for 7Li and 23Na NMR studies in biological systems, 777
lectin — Identification of peanut agglutinin receptors related to the state of tumoral liver cell differentiation, 101 — A novel galactose- and arabinose-specific lectin from the sponge *Pellina semitubulosa*: isolation, characterization and immunobiological properties, 527
lignin peroxydase — Characterization of a lignin peroxidase gene from the white-rot fungus *Trametes versicolor*, 177
lipid transfer — Progress in multidimensional NMR investigations of peptide and protein 3-D structures in solution. From structure to functional aspects, 825
liver — Nutritional and developmental regulation of glycosylation processes in digestive organs, 13
liver mitochondria — Origin of the ammonia used for mitochondrial citrulline synthesis as revealed by ^{13}C-^{15}N spin coupling patterns observed by ^{13}C-NMR, 903
lysosomal storage disease — Mammalian ß-d-mannosidase and ß-mannosidosis, 5
lysyl-tRNA synthetase — Overproduction and purification of lysyl-tRNA synthetase encoded by the *herC* gene of *E coli*, 581

M

magnetic resonance spectroscopy — Magnetic resonance spectroscopy: a powerful tool for drug metabolism studies, 785
mammalian aminoacyl-tRNA synthetase — Mammalian prolyl-tRNA synthetase corresponds to the ≈ 150 kDa subunit of the high-M_r aminoacyl-tRNA synthetase complex, 195
mammalian lectin — Comparative effects of diabetes and monensin on the lectin asialoglycoprotein receptor: biosynthesis, structure and function in rats, 109
ß-mannosidosis — Mammalian ß-D-mannosidase and ß-mannosidosis, 5
ß-D-mannosidase — Mammalian ß-d-mannosidase and ß-mannosidosis, 5
marine fish oil — Influence of dietary cholesterol on polyunsaturated fatty acid composition, fluidity and membrane-bound enzymes in liver microsomes of rats fed olive and fish oil, 551
meat texture — Proteolytic and physicochemical mechanisms involved in meat texture development, 251
membrane fluidity — Influence of dietary cholesterol on polyunsaturated fatty acid composition, fluidity and membrane-bound enzymes in liver microsomes of rats fed olive and fish oil, 551
membrane lipid — Alterations in microsomal and plasma membranes during liver regeneration, 981
membrane protein — Protein IIIa of Rhizobium leguminosarum is probably a porin, 1121
mercuric reductase — Essential arginines in mercuric reductase isolated from *Yersinia enterocolitica* 138A14, 557
metabolic diseases — High resolution NMR spectroscopy of physiological fluids: from metabolism to physiology, 801
metabolism — Effect of glyphosate on cell plant metabolism. ^{31}P and ^{13}C NMR studies, 875 — Deviant energetic metabolism of glycolytic cancer cells, 959
metal NMR — Lanthanide complexes of aminophosphonates as shift reagents for ^{7}Li and ^{23}Na NMR studies in biological systems, 777
micellar enzymology — Respiratory electron transfer activity in an asolectin-isooctane reverse micellar system, 161 — Kinetics and stability of Δ^5-3-ketosteroid isomerase from *Pseudomonas testosteroni* in the system of reverse micelles of aerosol OT in isooctane, 561
micellar interace — NMR studies of interactions between inhibitors and porcine pancreatic phospholipase A2, 859
microcarrier culture — Energetic metabolism of glucose, mannose and galactose in glucose-starved rat insulinoma cells anchored on microcarrier beads. A phosphorus-31 NMR study, 949
microcycle sporulation — Achievement of complete *Bacillus subtilis* microcycle sporulation by the addition of S-adenosylmethionine and phospholipids, 749
mitochondria — Mitochondrial DNA mutations in human diseases: a review, 123 — Inhibition of plant and animal cytochrome oxidases by nitrous oxide as a function of cytochrome c concentration, 1125
mixed monolayer — Surfactin/iturin A interactions may explain the

synergistic effect of surfactin on the biological properties of iturin A, 1047
modified bases — Structure-function correlations (and discrepancies) in the 16S ribosomal RNA from *Escherichia coli*, 319
modified cyclodextrin — Chemoenzymatic synthesis of modified maltooligosaccharides from cyclodextrin derivatives, 75
modified maltopenaoside — Chemoenzymatic synthesis of modified maltooligosaccharides from cyclodextrin derivatives, 75
molecular modelling — Progress in multidimensional NMR investigations of peptide and protein 3-D structures in solution. From structure to functional aspects, 825
monoclonal antibody — 20-α-Hydroxysteroid dehydrogenase from pseudopregnant rat ovary: Obtention and characterization of a monoclonal antibody against the enzyme activity, 1117
monomolecular film — Surfactin/iturin A interactions may explain the synergistic effect of surfactin on the biological properties of iturin A, 1047
mra homologue — A *Bacillus subtilis* morphogene cluster that includes *spoVE* is homologous to the mra region of *Escherichia coli*, 735
mRNA — Identification of the *Escherichia coli* 30S ribosomal subunit protein neighboring mRNA during initiation of translation, 363 — Role of cytoplasmic mRNP proteins in translation, 477
mRNA analog — Functional topography of human ribosomes as studied by affinity labeling with reactive mRNA analogs, 373
mRNA-eIF interaction — Interaction of protein synthesis initiation factors with the mRNA cap structure, 463
mRNA-eIF-2 interaction — Binding of ATP and messenger RNA by the ß-subunit of eukaryotic initiation factor 2, 427
mRNA-rRNA interaction — Recognition of correct reading frame by the ribosome, 357
mRNP protein — Role of cytoplasmic mRNP proteins in translation, 477
mRNPs — Role of cytoplasmic mRNP proteins in translation, 477
MTT assay — Effects of high glucose concentration on survival and respiration of human endothelial cells, 975
multifuctional polypeptide — Enzymatic biosynthesis of cyclosporin A and analogues, 511
multiple alignment — Evolutionary divergence plots of homologous proteins, 571
muscle growth — Role of the calpain system in muscle growth, 225
muscle protein degradation — Role of the calpain system in muscle growth, 225
muscle proteinase — The effect of electrical stimulation on beef tenderness, protease activity and myofibrillar protein fragmentation, 275
muscle proteolysis — The role of ultimate pH in proteolysis and calpain/calpastatin activity in bovine muscle, 283
muscle type — Proteolytic and physicochemical mechanisms involved in meat texture development, 251
mutation — Mitochondrial DNA mutations in human diseases: a review, 123
myofibrils — Proteolytic and physicochemical mechanisms involved in meat texture development, 251
myosin — Refined conditions for selective modifications of rabbit skeletal myosin light chains, 1083

N

N,O-acylneuramniic acid — Nature and biosynthesis of sialic acids in the starfish *Asterias rubens*. Identification of sialo-oligomers and detection of *S*-adenosyl-L-methionine: *N*-acylneuraminate 8-*O*-methyltransferase and CPM-*N*-acetylneuraminate monooxygenase activities, 25
N-acetyllactosamine type — Molecular dynamics simulations of a monofucosylated biantennary glycan of the N-acetyllactosamine type: the human lactotransferrin glycan, 63
N-acylneuraminic acid 8-O-methyltransferase — Nature and biosynthesis of sialic acids in the starfish *Asterias rubens*. Identification of sialo-oligomers and detection of *S*-adenosyl-L-methionine: *N*-acylneuraminate 8-*O*-methyltransferase and CPM-*N*-acetylneuraminate monooxygenase activities, 25
neocarzinostatin — The seven-stranded ß-barrel structure of apo-neocarzinostatin as compared to the immunoglobulin domain, 853
neuron and glia cells — A ^{13}C NMR study on fluxes into the TCA cycle of neuronal and glial tumor cell lines and primary cells, 941
new cyclosporins — Enzymatic biosynthesis of cyclosporin A and analogues, 511
NIH3T3 cell — Comparison of sialyl- and α-1,3-galactosyltransferase activity in NIH3T3 cells transformed with *ras* oncogene: increased ß-galactoside α-2,6-sialyltransferase, 89
nitrous oxide — Inhibition of plant and animal cytochrome oxidases by nitrous oxide as a function of cytochrome c concentration, 1125
NMR — High resolution NMR spectroscopy of physiological fluids: from metabolism to physiology, 801 — Modelling the dynamics of an antigenic peptide using NMR relaxation data, 815 — NMR characterization of a diamagnetic model of unliganded α chains from human hemoglobin, 845 — The seven-stranded ß-barrel structure of apo-neocarzinostatin as compared to the immunoglobulin domain, 853 — The inhibition of bovine heart hexokinase by 2-deoxy-D-glucose-6-phosphate: characterization by ^{31}P NMR and metabolic implications, 867
NMR of cells — Lanthanide complexes of aminophosphonates as shift reagents for ^{7}Li and ^{23}Na NMR studies in biological systems, 777
^{13}C-NMR — ^{1}H and ^{13}C-NMR assignments for sialylated oligosaccharide-alditols related to mucins. Study of thirteen components from hen ovomucin and swallow nest mucin, 39 — ^{13}C NMR studies of bacterial fermentations, 897 — Origin of the ammonia used for mitochondrial citrulline synthesis as revealed by ^{13}C-^{15}N spin coupling patterns observed by ^{13}C-NMR, 903 — A ^{13}C NMR study on fluxes into the TCA cycle of neuronal and glial tumor cell lines and primary cells, 941 — Effects of 2-deoxy-d-glucose on the glucose metabolism in Saccharomyces cerevisiae studied by multinuclear-NMR spectroscopy and biochemical methods, 1103
2D-NMR — Kinetics of amide proton exchange in parvalbumin studied by ^{1}H 2-D NMR. A comparison of the calcium and magnesium loaded forms, 837
2D-3D NMR — Progress in multidimensional NMR investigations of peptide and protein 3-D structures in solution. From structure to functional aspects, 825
^{1}H-NMR — ^{1}H and ^{13}C-NMR assignments for sialylated oligosaccharide-alditols related to mucins. Study of thirteen components from hen ovomucin and swallow nest mucin, 39 — Comparative ^{31}P and ^{1}H NMR studies on rat astrocytes and C6 glioma cells in culture, 919 — A ^{13}C NMR study on fluxes into the TCA cycle of neuronal and glial tumor cell lines and primary cells, 941 — Effects of 2-deoxy-d-glucose on the glucose metabolism in Saccharomyces cerevisiae studied by multinuclear-NMR spectroscopy and biochemical methods, 1103
^{1}H 2D-NMR — Two-dimensional ^{1}H NMR spectroscopy of normal and pathological human plasma: complete water suppression and further assignment of resonances, 913
^{31}P-NMR — Kinetics of endosomal acidification in *Dictyostelium discoideum* amoebae. ^{31}P-NMR evidence for a very acidic early endosomal compartment, 883 — Comparative ^{31}P and ^{1}H NMR studies on rat astrocytes and C6 glioma cells in culture, 919 — *In vivo* ^{31}P NMR study of early cellular responses to hyperosmotic shock in cultured glioma cells, 931 — Energetic metabolism of glucose, mannose and galactose in glucose-starved rat insulinoma cells anchored on microcarrier beads. A phosphorus-^{31} NMR study, 949 — Effects of 2-deoxy-d-glucose on the glucose metabolism in Saccharomyces cerevisiae studied by multinuclear-NMR spectroscopy and biochemical methods, 1103
^{31}P-^{13}C NMR — Effect of glyphosate on cell plant metabolism. ^{31}P and ^{13}C NMR studies, 875
nuclear Overhauser effect — Accurate estimation of inter-atomic distances in large proteins by NMR, 809
S1 nuclease mapping — Does cruciform DNA provide a recognition signal for DNA-topoisomerase II?, 1019
nucleoplasm doublet structure — A method for the determination of bacterial spore DNA content based on isotopic labelling, spore germination and diphenylamine assay; ploidy of spores of several Bacillus species, 723
nucleotide sequence — Isolation and sequence of the murine Fgf6 cDNA, 1035

O

O-methylated sialic acids — Nature and biosynthesis of sialic acids in the starfish *Asterias rubens*. Identification of sialo-oligomers and detection of *S*-adenosyl-L-methionine: *N*-acylneuraminate 8-*O*-methyltransferase and CPM-*N*-acetylneuraminate monooxygenase activities, 25
olive oil — Influence of dietary cholesterol on polyunsaturated fatty acid composition, fluidity and membrane-bound enzymes in liver microsomes of rats fed olive and fish oil, 551
oncogene — Isolation and sequence of the murine *Fgfδ* cDNA, 1035
organic solvents — Respiratory electron transfer activity in an asolectin-isooctane reverse micellar system, 161
osmoregulation — *In vivo* ^{31}P NMR study of early cellular responses to hyperosmotic shock in cultured glioma cells, 931
ovary — 20-α-Hydroxysteroid dehydrogenase from pseudopregnant rat ovary: Obtention and characterization of a monoclonal antibody against the enzyme activity, 1117
overexpression — Conservative system for dosage-dependent modulation of translation fidelty in eukaryotes, 455
overproduction — Overproduction and purification of lysyl-tRNA synthetase encoded by the *herC* gene of *E coli*, 581
2-oxoglucarate dehydrogenase — Effect of ionic strength on the regulatory properties of 2-oxoglutarate dehydrogenase complex, 171

P

pancreas — Nutritional and developmental regulation of glycosylation processes in digestive organs, 13
partial hepatectomy — Alterations in microsomal and plasma membranes during liver regeneration, 981
parvalbumin — Kinetics of amide proton exchange in parvalbumin studied by ^{1}H 2-D NMR. A comparison of the calcium and magnesium loaded forms, 837
pbp — Cloning and sequencing of the *Bacillus megaterium* spoIIA operon, 695
peanut agglutinin — Identification of peanut agglutinin receptors related to the state of tumoral liver cell differentiation, 101
Pellina semitubulosa — A novel galactose- and arabinose-specific lectin from the sponge *Pellina semitubulosa*: isolation, characterization and immunobiological properties, 527
peptide — Modelling the dynamics of an antigenic peptide using NMR relaxation data, 815
peptidoglycan — Protein IIIa of *Rhizobium leguminosarum* is probably a porin, 1121
peptolide SDZ 214-103 — Enzymatic biosynthesis of cyclosporin A and analogues, 511
peroxidase — Oxidation of hydroquinone by both cellular and extracellular grapevine peroxidase fractions, 143
pH — Effect of ionic strength on the regulatory properties of 2-oxoglutarate dehydrogenase complex, 171
pH determination — Kinetics of endosomal acidification in *Dictyostelium discoideum* amoebae. ^{31}P-NMR evidence for a very acidic early endosomal compartment, 883
phenylalanyl-tRNA synthetase — Determination of $tRNA^{Phe}$ recognition nucleotides for phenylalanyl-tRNA synthetase from *Thermus thermophilus*, 353
phenylglyoxal — Essential arginines in mercuric reductase isolated from *Yersinia enterocolitica* 138A14, 557
6-phosphofructo-1-kinase — Effect of experimental hypothyroidism on the control of 6-phosphofructo-1-kinase activity in rat jejunal mucosa, 989
phospholipase A2 — NMR studies of interactions between inhibitors and porcine pancreatic phospholipase A2, 859
phospholipid — Achievement of complete *Bacillus subtilis* microcycle sporulation by the addition of S-adenosylmethionine and phospholipids, 749
phospholipid trasfer protein — Progress in multidimensional NMR investigations of peptide and protein 3-D structures in solution. From structure to functional aspects, 825
phosphorelay — Spo0A activates and represses its own synthesis by binding at its dual promoters, 619
photoaffinity labellin — Photochemical cross-linking of the anticodon loop of yeast $tRNA^{Phe}$ to 30S-subunit protein S7 at the ribosomal A and P sites, 381
pKSV7 — Use of a new integrational vector to investigate compartment-specific expression of the *Bacillus subtilis spoIIM* gene, 705
plant cell — Effect of glyphosate on cell plant metabolism. ^{31}P and ^{13}C NMR studies, 875
plasma — High resolution NMR spectroscopy of physiological fluids: from metabolism to physiology, 801
plasma membrane — Influence of cholesterol on sphingomyelin metabolism and hemileaflet fluidity of rat liver plasma membranes, 153
platelet-derived growth factor — Differential expression of PDGF A- and B-chain genes and production of AA and AB dimers by activated human blood monocytes, 1097
poly(A)-mRNA — Secondary structure at the beginning of the poly(A) sequence of mouse ß-actin messenger RNA, 1031
poly(dT) — Cell-free translation systems from different eukaryotes differ in their sensitivity to a template sugar-phosphate backbone, 435
poly(U) — Cell-free translation systems from different eukaryotes differ in their sensitivity to a template sugar-phosphate backbone, 435
porin — Protein IIIa of *Rhizobium leguminosarum* is probably a porin, 1121
positron emission tomography — The inhibition of bovine heart hexokinase by 2-deoxy-D-glucose-6-phosphate: characterization by ^{31}P NMR and metabolic implications, 867
post mortem — The role of Ca^{2+}-dependent proteases (calpains) in *post mortem* proteolysis and meat tenderness, 239
predictive method — Improving data acquisition parameters of ^{31}P *in vivo* spectra for signal analysis in the time domain, 769
prolactin receptor — Expression of the full-length rabbit prolactin receptor and its specific domains in baculovirus infected insect cells, 1053
prolyl-tRNA synthetase — Mammalian prolyl-tRNA synthetase corresponds to the ≈ 150 kDa subunit of the high-M_r aminoacyl-tRNA synthetase complex, 195
promoter — The 23S-5S spacer of two rRNA loci of *Streptococcus salivarius* subsp *thermophilus* includes a promotor, 585 — Activity of ribosomal and tRNA promoters of *Bacillus subtilis* during sporulation, 613
promoter-probe-plasmid — Activity of ribosomal and tRNA promoters of *Bacillus subtilis* during sporulation, 613
protease — Activities of pork muscle proteases in model cured meat systems, 291
protein biosynthesis — The two main states of the elongation ribosome and the role of the α-sarcin stem-loop structure of 23S RNA, 403
protein homology — Evolutionary divergence plots of homologous proteins, 571
protein structure — The seven-stranded ß-barrel structure of apo-neocarzinostatin as compared to the immunoglobulin domain, 853
protein synthesis — Mitochondrial DNA mutations in human diseases: a review, 123 — Ribosome function determined by fluorescence, 391
protein-DNA interaction — The interaction between *Bacillus subtilis* sigma-A (σ^A) factor and RNA polymerase with promoters, 601
protein-inhibitor interaction — NMR studies of interactions between inhibitors and porcine pancreatic phospholipase A2, 859
proteolysis — The role of Ca^{2+}-dependent proteases (calpains) in post mortem proteolysis and meat tenderness, 239
proteolysis kinetics — Refined conditions for selective modifications of rabbit skeletal myosin light chains, 1083
proton — High resolution NMR spectroscopy of physiological fluids: from metabolism to physiology, 801
puromycin — Puromycin reaction of the A-site bound peptidyl-tRNA, 411
pyrovate carboxylase — A ^{13}C NMR study on fluxes into the TCA cycle of neuronal and glial tumor cell lines and primary cells, 941
pyruvate dehydrogenase — A ^{13}C NMR study on fluxes into the TCA cycle of neuronal and glial tumor cell lines and primary cells, 941

Q

quantification — Improving data acquisition parameters of ^{31}P *in vivo* spectra for signal analysis in the time domain, 769
Qß phage replicase — Structural consensus of RNA templates replicated by Qß replicase, 491

R

rabbit — Expression of the full-length rabbit prolactin receptor and its specific domains in baculovirus infected insect cells, 1053
rat hepatocyte — Comparative effects of diabetes and monensin on the lectin asialoglycoprotein receptor: biosynthesis, structure and function in rats, 109
receptor — Identification of peanut agglutinin receptors related to the state of tumoral liver cell differentiation, 101
receptor purification — Purification of a heparin binding FGF receptor (HB-FGRF) from adult bovine brain membranes, 1091
recombination — Evidence that recombination between reiterated sequences in the *Bacillus subtilis* chromosome does not occur via unequal crossing over, 713
reductive acetogenesis — ^{13}C NMR studies of bacterial fermentations, 897
regulation — Activity of ribosomal and tRNA promoters of *Bacillus subtilis* during sporulation, 613 — Effect of experimental hypothyroidism on the control of 6-phosphofructo-1-kinase activity in rat jejunal mucosa, 989
regulatory elements — Isolation and sequence of the murine Fgf6 cDNA, 1035
repetition frequency — Organization of repetitive DNA sequences in the genome of the echinoderm *Holothuria tubulosa*, 1067
repetitive DNA — Organization of repetitive DNA sequences in the genome of the echinoderm *Holothuria tubulosa*, 1067
replicating RNA — Structural consensus of RNA templates replicated by Qß replicase, 491
respiratory chain — Respiratory electron transfer activity in an asolectin-isooctane reverse micellar system, 161
response regulator — Suppressors of a spo0A missense mutation and their effects on sporulation in *Bacillus subtilis*, 679
restriction enzyme — Comparison of electrophoretic distribution patterns of ribosomal RNA gene restriction fragments and of ribosomal subunit proteins of Lactococci, Streptococci, and *Pediococci*, 1007
reticulocyte — Role of cytoplasmic mRNP proteins in translation, 477
reticulosyte lysate — Regulation of transcription by translational components in coupled translation-transcription cell-free system, 495
reverse micelles — Respiratory electron transfer activity in an asolectin-isooctane reverse micellar system, 161 — Kinetics and stability of Δ^5-3-ketosteroid isomerase from *Pseudomonas testosteroni* in the system of reverse micelles of aerosol OT in isooctane, 561
Rhizobium — Characterization of an aromatic amino acid aminotransferase from *Rhizobium leguminosarum* biovar *trifolii*, 539
ribosomal elongation cycle — The two main states of the elongation ribosome and the role of the α-sarcin stem-loop structure of 23S RNA, 403
ribosomal protein — Ribosomal proteins from *Thermus thermophilus* for structural investigations, 327 — Mapping the three-dimensional locations of ribosomal RNA and proteins, 307
ribosomal RNA — Mapping the three-dimensional locations of ribosomal RNA and proteins, 307 — Structure-function correlations (and discrepancies) in the 16S ribosomal RNA from *Escherichia coli*, 319 — Activity of ribosomal and tRNA promoters of *Bacillus subtilis* during sporulation, 613
ribosome — Ribosome function determined by fluorescence, 391 — Identification of the *Escherichia coli* 30S ribosomal subunit protein neighboring mRNA during initiation of translation, 363 — Novel data on interactions of elongation factor Ts, 419 — Interaction of yeast $tRNA^{Phe}$ anticodon arm with 40S ribosomal subunit of rabbit liver, 443 — Recognition of correct reading frame by the ribosome, 357 — Ribosomes, ribosomal subunits and ribosomal proteins of *Lactococcus lactis* IL1403, 995 — Comparison of electrophoretic distribution patterns of ribosomal RNA gene restriction fragments and of ribosomal subunit proteins of *Lactococci*, *Streptococci*, and *Pediococci*, 1007 — Yeast 5S rRNA binding to ribosomal protein L1a alters the fluorescence of tryptophan residues lying outside the binding site, 1025
70S ribosome — Puromycin reaction of the A-site bound peptidyl-tRNA, 411
rigor linkage — Non-enzymatic weakening of myofibrillar structures during conditioning of meat: calcium ions at 0.1 mM and their effect on meat tenderization, 247
RINm5F cells — Energetic metabolism of glucose, mannose and galactose in glucose-starved rat insulinoma cells anchored on microcarrier beads. A phosphorus-^{31} NMR study, 949
Risobium leguminosarum — Protein IIIa of *Rhizobium leguminosarum* is probably a porin, 1121
RNA polymerase — The interaction between *Bacillus subtilis* sigmaA (σ^A) factor and RNA polymerase with promoters, 601
RNA-protein complex — Yeast 5S rRNA binding to ribosomal protein L1a alters the fluorescence of tryptophan residues lying outside the binding site, 1025
rRNA — Comparison of electrophoretic distribution patterns of ribosomal RNA gene restriction fragments and of ribosomal subunit proteins of *Lactococci*, *Streptococci*, and *Pediococci*, 1007
rRNA gene — The 23S-5S spacer of two rRNA loci of *Streptococcus salivarius* subsp *thermophilus* includes a promotor, 585
^{18}S rRNA — Functional topography of human ribosomes as studied by affinity labeling with reactive mRNA analogs, 373
23S rRNA function — The two main states of the elongation ribosome and the role of the α-sarcin stem-loop structure of 23S RNA, 403

S

Saccharomyces cerevisiae — Effects of 2-deoxy-D-glucose on the glucose metabolism in *Saccharomyces cerevisiae* studied by multinuclear-NMR spectroscopy and biochemical methods, 1103
satellite DNA — On the tertiary structure of satellite DNA, 187
α-sarcin — The two main states of the elongation ribosome and the role of the α-sarcin stem-loop structure of 23S RNA, 403
SDS-PAGE — The effect of electrical stimulation on beef tenderness, protease activity and myofibrillar protein fragmentation, 275
sensitivity — Cell-free translation systems from different eukaryotes differ in their sensitivity to a template sugar-phosphate backbone, 435
septation — The spoIIN279(ts) mutation affects the FtsA protein of *Bacillus subtilis*, 689
sequence arrangement — Organization of repetitive DNA sequences in the genome of the echinoderm *Holothuria tubulosa*, 1067
shikimate — Effect of glyphosate on cell plant metabolism. ^{31}P and ^{13}C NMR studies, 875
sigma factor — The interaction between *Bacillus subtilis* sigma-A (σ^A) factor and RNA polymerase with promoters, 601 — The effect of supercoiling on the *in vitro* transcription of the spoIIA operon from *Bacillus subtilis*, 627
signal processing — Improving data acquisition parameters of ^{31}P *in vivo* spectra for signal analysis in the time domain, 769
signal transduction — Early spo gene expression in *Bacillus subtilis*: the role of interrelated signal transduction systems, 669
siliated oligosaccharides — ^1H and ^{13}C-NMR assignments for sialylated oligosaccharide-alditols related to mucins. Study of thirteen components from hen ovomucin and swallow nest mucin, 39
skeletal growth — Effect of ß-agonist on expression of calpain and calpastatin activity in skeletal muscle, 267
skeletal muscle — Effect of ß-agonist on expression of calpain and calpastatin activity in skeletal muscle, 267
small angle neutron scattering — Structural dynamics of translating ribosomes, 299
solution conformation — NMR characterization of a diamagnetic model of unliganded α chains from human hemoglobin, 845
spacer arms — Spin-labelled sulfur containing neoglycolipids, 57
sphingomyelin metabolism — Influence of cholesterol on sphingomyelin metabolism and hemileaflet fluidity of rat liver plasma membranes, 153

spin-labelling — Spin-labelled sulfur containing neoglycolipids, 57
^{13}C-^{15}N spin coupling — Origin of the ammonia used for mitochondrial citrulline synthesis as revealed by ^{13}C-^{15}N spin coupling patterns observed by ^{13}C-NMR, 903
spoII mutation — Intergenic suppression of stage II sporulation defects by a mutation in the major vegetative sigma factor gene (*rpoD*) of *Bacillus subtilis*, 635
spoIIA — Cloning and sequencing of the *Bacillus megaterium* spoIIA operon, 695
spoIIM — Use of a new integrational vector to investigate compartment-specific expression of the *Bacillus subtilis spoIIM* gene, 705
sponge — A novel galactose- and arabinose-specific lectin from the sponge *Pellina semitubulosa*: isolation, characterization and immunobiological properties, 527
spoOE — Suppressors of a *spo0A* missense mutation and their effects on sporulation in *Bacillus subtilis*, 679
spoOJ — Suppressors of a *spo0A* missense mutation and their effects on sporulation in *Bacillus subtilis*, 679
spoOK — Suppressors of a *spo0A* missense mutation and their effects on sporulation in *Bacillus subtilis*, 679
spore — Protein filaments may initiate the assembly of the *Bacillus subtilis* spore coat, 661
spore DNA content — A method for the determination of bacterial spore DNA content based on isotopic labelling, spore germination and diphenylamine assay; ploidy of spores of several *Bacillus* species, 723
spore morphology — A method for the determination of bacterial spore DNA content based on isotopic labelling, spore germination and diphenylamine assay; ploidy of spores of several *Bacillus* species, 723
sporulation — Activity of ribosomal and tRNA promoters of *Bacillus subtilis* during sporulation, 613 — Spo0A activates and represses its own synthesis by binding at its dual promoters, 619 — The effect of supercoiling on the *in vitro* transcription of the spoIIA operon from *Bacillus subtilis*, 627 — Intergenic suppression of stage II sporulation defects by a mutation in the major vegetative sigma factor gene (*rpoD*) of *Bacillus subtilis*, 635 — The spoIIN279(ts) mutation affects the FtsA protein of *Bacillus subtilis*, 689 — Cloning and sequencing of the Bacillus megaterium spoIIA operon, 695 — Use of a new integrational vector to investigate compartment-specific expression of the *Bacillus subtilis spoIIM* gene, 705 — Evidence that recombination between reiterated sequences in the *Bacillus subtilis* chromosome does not occur via unequal crossing over, 713 — A *Bacillus subtilis* morphogene cluster that includes *spoVE* is homologous to the mra region of *Escherichia coli*, 735 — Achievement of complete *Bacillus subtilis* microcycle sporulation by the addition of S-adenosylmethionine and phospholipids, 749
sporulation initiation — Early spo gene expression in *Bacillus subtilis*: the role of interrelated signal transduction systems, 669
spoVA — Cloning and sequencing of the Bacillus megaterium spoIIA operon, 695
starfish *Asterias rubens* — Nature and biosynthesis of sialic acids in the starfish *Asterias rubens*. Identification of sialo-oligomers and detection of *S*-adenosyl-L-methionine: *N*-acylneuraminate 8-*O*-methyltransferase and CPM-*N*-acetylneuraminate monooxygenase activities, 25
Streptococcus salivarius* subsp *thermophilus — The 23S-5S spacer of two rRNA loci of *Streptococcus salivarius* subsp *thermophilus* includes a promotor, 585
structural consensus — Structural consensus of RNA templates replicated by Qß replicase, 491
30S subunit model — Photochemical cross-linking of the anticodon loop of yeast $tRNA^{Phe}$ to 30S-subunit protein S7 at the ribosomal A and P sites, 381
supercoiled DNA — Does cruciform DNA provide a recognition signal for DNA-topoisomerase II?, 1019
supercoiling — The effect of supercoiling on the *in vitro* transcription of the spoIIA operon from *Bacillus subtilis*, 627
superhelical structure — Detection of satellite DNA in *Palorus ratzeburgii*: Analysis of curvature profiles and comparison with *Tenebrio molitor* satellite DNA, 1075
suppression — Conservative system for dosage-dependent modulation of translation fidelty in eukaryotes, 455
surfactin — Progress in multidimensional NMR investigations of peptide and protein 3-D structures in solution. From structure to functional aspects, 825 — Surfactin/iturin A interactions may explain the synergistic effect of surfactin on the biological properties of iturin A, 1047
synergism — Surfactin/iturin A interactions may explain the synergistic effect of surfactin on the biological properties of iturin A, 1047
synthetic sporulation mutation — Suppressors of a spo0A missense mutation and their effects on sporulation in *Bacillus subtilis*, 679

T

TCA cycle — A ^{13}C NMR study on fluxes into the TCA cycle of neuronal and glial tumor cell lines and primary cells, 941
template sugar-phosphate backbone — Cell-free translation systems from different eukaryotes differ in their sensitivity to a template sugar-phosphate backbone, 435
Tenebrionidae — Detection of satellite DNA in *Palorus ratzeburgii*: Analysis of curvature profiles and comparison with *Tenebrio molitor* satellite DNA, 1075
3'-terminal structure — Secondary structure at the beginning of the poly(A) sequence of mouse ß-actin messenger RNA, 1031
Thermus thermophilus — Ribosomal proteins from *Thermus thermophilus* for structural investigations, 327
three-dimensional models — Structure-function correlations (and discrepancies) in the 16S ribosomal RNA from *Escherichia coli*, 319
tissue fibrosis — Differential expression of PDGF A- and B-chain genes and production of AA and AB dimers by activated human blood monocytes, 1097
tissue repair — Differential expression of PDGF A- and B-chain genes and production of AA and AB dimers by activated human blood monocytes, 1097
topoisomerase II — Does cruciform DNA provide a recognition signal for DNA-topoisomerase II?, 1019
Trametes versicolor — Characterization of a lignin peroxidase gene from the white-rot fungus *Trametes versicolor*, 177
tranfer RNA — Comparison of dissimilarity patterns of *E coli*, yeast and mammalian tRNAs, 337
transcription — Spo0A activates and represses its own synthesis by binding at its dual promoters, 619
translating ribosome — Structural dynamics of translating ribosomes, 299
translation — Role of cytoplasmic mRNP proteins in translation, 477
translation inhibition — Effect of the terminal phosphate derivatization of ß- and α-oligodeoxynucleotides on their antisense activity in protein biosynthesis, stability, and their uptake by eucaryotic cells, 485
translation regulation in plants — Interaction of wheat germ translation inititation factor 2 with GDP and GTP, 447
translocation — Structural dynamics of translating ribosomes, 299 — Puromycin reaction of the A-site bound peptidyl-tRNA, 411
transplantation — High resolution NMR spectroscopy of physiological fluids: from metabolism to physiology, 801
tRNA — Ribosome function determined by fluorescence, 391 — Activity of ribosomal and tRNA promoters of *Bacillus subtilis* during sporulation, 613
tRNA gene — The 23S-5S spacer of two rRNA loci of *Streptococcus salivarius* subsp *thermophilus* includes a promotor, 585
tRNA identity — Determination of $tRNA^{Phe}$ recognition nucleotides for phenylalanyl-tRNA synthetase from *Thermus thermophilus*, 353 — Comparison of dissimilarity patterns of *E coli*, yeast and mammalian tRNAs, 337
tRNA-ribosome interaction — Photochemical cross-linking of the anticodon loop of yeast $tRNA^{Phe}$ to 30S-subunit protein S7 at the ribosomal A and P sites, 381
$tRNA^{Phe}$ — Interaction of yeast $tRNA^{Phe}$ anticodon arm with 40S ribosomal subunit of rabbit liver, 443
Trypanosoma brucei — Aphidicolin inhibits DNA polymerizing activity but not nucleolytic activity of *Escherichia coli* DNA polymerase II, 131 — Expression in *Bacillus subtilis* of the glycosomal glyceraldehyde-phosphate dehydrogenase gene from

Trypanosoma brucei, 137
tryptophan — Effect of mutant small, acid-soluble spore proteins containing cysteine or tryptophan on DNA properties *in vivo* and *in vitro*, 651

U

U-2 OS osteosarcoma cell — Differential migratory response of U-2 OS osteosarcoma cells to the various forms of platelet-derived growth factor, 183
U-937 cell — Modulation by dexamethasone of insulin binding and insulin receptor mRNA levels in U-937 human promonocytic cells, 545
ultimate pH — The role of ultimate pH in proteolysis and calpain/calpastatin activity in bovine muscle, 283
UV cross-linking to cap — Interaction of protein synthesis initiation factors with the mRNA cap structure, 463

V

viomycin — Puromycin reaction of the A-site bound peptidyl-tRNA, 411

W

wall glycanohydrolase — Structural features and biological activity of xyloglucans from suspension-cultured plant cells, 81
wheat germ — Characterization of two galactosidases extracted from wheat germ with a hydroalcoholic solvent, 53 — Interaction of wheat germ translation inititation factor 2 with GDP and GTP, 447

X

XGTase specificity — Chemoenzymatic synthesis of modified maltooligosaccharides from cyclodextrin derivatives, 75
xyloglucan — Structural features and biological activity of xyloglucans from suspension-cultured plant cells, 81

Y

yeast — Conservative system for dosage-dependent modulation of translation fidelty in eukaryotes, 455 — Yeast 5S rRNA binding to ribosomal protein L1a alters the fluorescence of tryptophan residues lying outside the binding site, 1025

Z

Z-disk — Non-enzymatic weakening of myofibrillar structures during conditioning of meat: calcium ions at 0.1 mM and their effect on meat tenderization, 247